

# U.S. Environmental Protection Agency Region 8 Technical and Management Services

Laboratory Services Program

Certificate of Analysis

Ref: 8TMS-L

#### **MEMORANDUM**

Date: 08/11/15

Subject: Analytical Results--- Upper Animas\_Surface Water 2\_AUG 2015\_A096

From: Don Goodrich; EPA Region8 Analytical Chemistry WAM

To: <ClientManager>

Superfund

1595 Wynkoop Street

Received Sample Set(s), [Work Order: Date Received]:

[ C150802 : 08/09/2015 ]

Attached are the analytical results for the samples received from the Upper AnimasSurface Water 2\_AUG 2015\_A096 sampling event, according to TDF [none]. All analyses were performed within their method specified holding times unless otherwise noted in the following narrative.

These samples were prepared, analyzed, and verified by the Environmental Services Assistance Team Laboratory (ESAT) according to the requirements of the Technical Direction Form(TDF).

Note: The laboratory herewith transmits this deliverable to the program/project partner for determination of "final data usability" which may include data validation and data quality assessment per and in accordance with EPA QAG-8, *Guidance on Environmental Data Verification and Data Validation*, November 2002, EPA/240/R-02/004. Laboratory data qualifiers are applied based on the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, October 2004, referred to as "NFGI".

Laboratory policy is to dispose of any remaining sample 60 days after data analysis packages are delivered to EPA. If you would like the laboratory to retain the samples for a period longer than 60 days, please contact Don Goodrich within the 60 day period at (303) 312-6687.

#### Case Narrative

#### C150802

**Project Name:** 

Quality Assessment Unless indicated by exception, the QA/QC associated with this sample set produced data within the TDF-specified criteria.

Holding Times: All samples were analyzed within their method-specified technical holding

time(s).

1. Initial and Continuing calibration blanks (ICBs and CCBs).

Exceptions: None.

2. Preparation (PB) / Method blanks (MB)

Exceptions: None.

3. Interference Checks (ICSA / ICSAB) for ICP-MS and ICP-OE analyses only.

Exceptions: None.

4. Initial and Continuing calibration verification analyses (ICVs, SCVs and CCVs).

Exceptions: None.

 $\hbox{5. Laboratory Control Sample (LCS) or second source analysis or SRM.}\\$ 

Exceptions: None.

 Laboratory Fortified blank (LFB) / Blank spike (BS), same source as used for the matrix spikes. PBS performed with analyses/methods requiring preparation or digestion prior to analysis. Exceptions: None.

- Contract Reporting Detection Limit Standard, labeled as CRA, CRDL or CRL.
   Exceptions: In ICP-MS sequence 1508051, cadmium recovered low in the CRL. As a result, associated samples were qualified "J" as estimated for cadmium.
- 8. Laboratory Duplicate (DUP). "Source" identifies field sample duplicated in the laboratory. If either the "source" or the duplicate result is <5X the reporting limit, the %D limit of 20% does not apply. Exceptions: In ICP-MS batch 1508043, lead recovered high in the DUP. As a result, the source sample was qualified "J" as estimated for lead.
- Laboratory Matrix Spike (MS) and spike duplicate (MSD). "Source" defines original field sample fortified prior to analysis. Percent recovery (%R) limits do not apply when sample concentration(s) exceed the corresponding analyte spike level by a factor of 4 or greater.
   Exceptions: In mercury batch 1508045, MS1 recovery was low, as a result, associated sample was "J" flagged as estimated.
- 10. Serial Dilution sample analysis (SRD). "Source" is parent field sample diluted 1:5 in the laboratory. Performed for ICP-OE and ICP-MS metals analyses. Percent difference (%D) limits do not apply when analyte concentration(s) are below 50x the source samples MDL (or 10x it's PQL). Exceptions: None.
- 11. Internal standards, criteria specified for ICP-MS analyses only, monitored at the instrument. Exceptions: None.
- 12. Any calibration using more than two-points produced a correlation coefficient equal to or greater than 0.995

Exceptions: None.

TDF#: [none]

#### Acronyms and Definitions:

Project Name:

- ESAT Environmental Services Assistance Team
  - J Data Estimated qualifier (also applied to all data less than PQL, greater than or equal to MDL)
- MDL Method Detection Limit
- PQL Practical Quantitation Limit, also known as reporting limit.
- RPD Relative Percent Difference (difference divided by the mean)
- %D Percent difference, serial dilution criteria unit, difference divided by the original result
- %R Percent recovery, analyzed (less sample contribution) divided by true value
- Analyte NOT DETECTED at or above the Method Detection Limit(MDL)
- mg/L Parts per million (millligrams per liter). Solids equivalent = mg/Kg.
- ug/L Parts per billion (micrograms per liter). Solids equivalent = ug/Kg.
- NR No Recovery (matrix spike) Often seen for calcium/magnesium when their concentration exceeds the spike level by > 4x.
- NFGI USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data ReviewOctober 2004
- RE Sample Re-analysis. Usually seen on raw data and sequences for required sample dilutions due to over-range analytes.
- U Analyte not detected at or above MDL qualifier
- D Diluted value qualifier.

#### M ethod(s) Summary

As defined in the Technical Direction Form (TDF), some or all of the m ethods listed below were used for the determination of the reported target analytes.

From EPA's Methods for the Determination of Metals in Environmental Samples, Supplement I, May 1994, dissolved, total, and/or total recoverable metals were determined by:

- M ethod 200.7 / 6010B using a PE Optima ICP -OE (ICP)
- M ethod 200.8 / 6020 using a Perkin -Elmer Elan 6000 ICP -MS.
- M ethod 200.2 for total recoverable metals (only) dige stion.
- M ethod 245.1 using a Perkin -Elmer FIM S CV AA (aqueous mercury only).

From Standard M ethods for the Examination of Water and Wastewater , 18 <sup>th</sup> Edition, 1992, M ethod 2340B was used for the calculated hardness determ ination. Hardness is reported as mg (milligram) equivalent CaCO <sub>3</sub> per liter (L) determined as follows:

Calculated hardness = 2.497 \* (Calcium, mg/L) + 4.118 \* (Magnesium, mg/L).

From EPA's Test Methods for Evaluating Solid Waste, Physical/Chemical M ethods, SW -846,

- M ethod 3015A was used for microwave assisted total metals digestion.
- M ethod 747 3 w as used for mercury in solids

From EPA's Determ ination of Inorganic Anions by Ion Chromatography , Revision 2.1, 1993, Method 300.0 was used to determ ine the anions.

From EPA's Methods for C hem ical Analysis of W ater and Wastes , M arch 1983:

- M ethod 310.1 was followed for the alkalinity determination.
- M ethod 160.1 was followed for gravimetric total dissolved solids (TDS) determination.
- M ethod 160.2 was used for gravim etric total suspended sol ids (TSS) determination.
- M ethod 415.3 was used for total organic carbon (TOC) determination using either an Apollo 9000 or Phoenix 8000
   Non -D ispersive IR (N DIR) system. Also known as dissolved organic carbon (D OC) when performed on the dissolved sample fr action.

The quality control procedures listed in the TDF request were utilized by ESAT to verify accuracy of the results and to evaluate any matrix interferences.

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-0000 Date / Time Sampled: 08/07/15 00:00

Workorder: C150802 EPA Tag No: Matrix: Surface Water Lab Number: C150802-02 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	61100		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7820		ug/L	100	1	08/10/2015	sv	1508038
200.7	Manganese	464		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	1990		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10200		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	53.8		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	22.1		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	0.490	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.27	J	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.994		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	3.87		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.289		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	185		mg/L	2	1	08/10/2015	SV	1508038

TDF#: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-0030 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/07/15 00:30

Workorder: C150802

Lab Number:

C150802-05 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	62700		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7930		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	676		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	2020		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10100		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	84.8		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Barium	25.1		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	0.699	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	1.66		ug/L	0.100	1	08/10/2015	sv	1508039
200.8	Copper	4.32		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.230		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	189		mg/L	2	1	08/10/2015	SV	1508038

TDF#: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-1000 Date / Time Sampled: 08/07/15 10:00 Workorder: C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	20.6	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	52100		ug/L	100	1	08/10/2015	sv	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7140		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	131		ug/L	2.00	1	08/10/2015	sv	1508038
200.7	Potassium	1830		ug/L	250	1	08/10/2015	sv	1508038
200.7	Sodium	9920		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	24.0		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	46.0		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	0.190	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.77	J	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.276		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	3.58		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.824		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	159		mg/L	2	1	08/10/2015	sv	1508038

TDF#: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2005 EPA Tag No:

Date / Time Sampled: 08/ Matrix: Surface Water

08/06/15 20:05 **Wor** 

Workorder: C150802

**Lab Number:** C150802-11

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	59.4		ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	51200		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7020		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	75.3		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	1830		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10200		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	57.0		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	0.643	J	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	50.6		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	0.139	J	ug/L	0.100	1	08/10/2015	sv	1508039
200.8	Chromium	2.12		ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.261		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	4.09		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	3.26		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	157		mg/L	2	1	08/10/2015	SV	1508038

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2108 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/06/15 21:08 **Workorder:** 

orkorder: C150802

**Lab Number:** C150802-14 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	61.1		ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	51700		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7090		ug/L	100	1	08/10/2015	sv	1508038
200.7	Manganese	77.2		ug/L	2.00	1	08/10/2015	sv	1508038
200.7	Potassium	1880		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10300		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	61.4		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	47.6		ug/L	5.00	1	08/10/2015	sv	1508039
200.8	Cadmium	0.134	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	2.31		ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.364		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	2.55		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.209		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	158		mg/L	2	1	08/10/2015	SV	1508038

TDF #: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2200 Date / Time Sampled: 08/06/15 22:00 Workorder: C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	47.5	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	52200		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7140		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	81.0		ug/L	2.00	1	08/10/2015	sv	1508038
200.7	Potassium	1900		ug/L	250	1	08/10/2015	sv	1508038
200.7	Sodium	10400		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	47.0		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	47.7		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	< 0.200	J,	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.98	J	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Cobalt	0.295		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	3.50		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.161	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	sv	1508039
2340B	Hardness	160		mg/L	2	1	08/10/2015	sv	1508038

TDF#: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2300 Date / Time Sampled: 08/06/15 23:00

Workorder: C150802 EPA Tag No: Matrix: Surface Water Lab Number: C150802-20 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	54800		ug/L	100	1	08/10/2015	sv	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7390		ug/L	100	1	08/10/2015	sv	1508038
200.7	Manganese	158		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	1900		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10400		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	21.6		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	34.2		ug/L	5.00	1	08/10/2015	sv	1508039
200.8	Cadmium	0.105	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.93	J	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.366		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	3.68		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	0.119	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	167		mg/L	2	1	08/10/2015	sv	1508038

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW01-080815
 Date / Time Sampled:
 08/08/15 10:05
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	42.7	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	53300		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	7500		ug/L	100	1	08/10/2015	sv	1508038
200.7	Manganese	102		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	1870		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	10500		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	22.8		ug/L	10.0	1	08/10/2015	sv	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	41.4		ug/L	5.00	1	08/10/2015	sv	1508039
200.8	Cadmium	< 0.200	J,	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.55	J	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.653		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	1.73		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	sv	1508039
2340B	Hardness	164		mg/L	2	1	08/10/2015	SV	1508038

TDF #: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW01-080915
 Date / Time Sampled:
 08/09/15 12:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	75.6		ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	50700		ug/L	100	1	08/10/2015	sv	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	sv	1508038
200.7	Magnesium	7270		ug/L	100	1	08/10/2015	sv	1508038
200.7	Manganese	81.8		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	1770		ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	9760		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	< 20.0	U	ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	0.512	J	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	39.4		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	< 0.200	J,	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	3.62		ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	0.872		ug/L	0.100	1	08/10/2015	sv	1508039
200.8	Copper	2.09		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	156		mg/L	2	1	08/10/2015	SV	1508038

TDF #: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW02-080815
 Date / Time Sampled:
 08/08/15 12:30
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	46.3	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	35100		ug/L	100	1	08/10/2015	sv	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	4390		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	443		ug/L	2.00	1	08/10/2015	sv	1508038
200.7	Potassium	700	J	ug/L	250	1	08/10/2015	sv	1508038
200.7	Sodium	2170		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	62.4		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	28.1		ug/L	5.00	1	08/10/2015	sv	1508039
200.8	Cadmium	0.282	J	ug/L	0.100	1	08/10/2015	sv	1508039
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	1.39		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	2.31		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	106		mg/L	2	1	08/10/2015	sv	1508038

TDF #: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW02-080915
 Date / Time Sampled:
 08/09/15 11:37
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	46.8	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	35400		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	4370		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	403		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	785	J	ug/L	250	1	08/10/2015	sv	1508038
200.7	Sodium	2220		ug/L	250	1	08/10/2015	sv	1508038
200.7	Zinc	96.8		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Barium	29.6		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	0.551	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	1.10	J	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	1.84		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	3.90		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	0.507	J	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	106		mg/L	2	1	08/10/2015	SV	1508038

TDF#:

[none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: EPA Tag No:

GKMSW03-080815

Date / Time Sampled: Matrix: Surface Water 08/08/15 14:35

Workorder:

C150802

Lab Number:

C150802-35

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	28.3	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	50800		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	1140		ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	3910		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	1070		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	626	J	ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	2300		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	493		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Barium	21.7		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	1.56	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	4.52		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	10.6		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	1.60		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	143		mg/L	2	1	08/10/2015	SV	1508038

Project Name: TDF#:

[none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: GKMSW03-080915 Date / Time Sampled:

08/09/15 13:27

Workorder: C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	23.1	J	ug/L	20.0	1	08/10/2015	SV	1508038
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Calcium	53300		ug/L	100	1	08/10/2015	SV	1508038
200.7	Iron	1330		ug/L	100	1	08/10/2015	SV	1508038
200.7	Magnesium	4070		ug/L	100	1	08/10/2015	SV	1508038
200.7	Manganese	1110		ug/L	2.00	1	08/10/2015	SV	1508038
200.7	Potassium	761	J	ug/L	250	1	08/10/2015	SV	1508038
200.7	Sodium	2470		ug/L	250	1	08/10/2015	SV	1508038
200.7	Zinc	529		ug/L	10.0	1	08/10/2015	SV	1508038
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	sv	1508039
200.8	Barium	21.1		ug/L	5.00	1	08/10/2015	SV	1508039
200.8	Cadmium	1.69	J	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Cobalt	4.94		ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Copper	16.8		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508039
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Nickel	1.62		ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508039
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508039
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508039
2340B	Hardness	150		mg/L	2	1	08/10/2015	SV	1508038

TDF#:

[none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: GKMSW04-080815 EPA Tag No: Date / Time Sampled: Matrix: Surface Water 08/08/15 11:10

Workorder:

C150802

Lab Number:

C150802-41

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	52000		ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	6990		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	146		ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	1800		ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	10000		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	66.0		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	40.5		ug/L	5.00	1	08/10/2015	SV	1508042
200.8	Cadmium	0.232	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	1.57	J	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	1.58		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	1.93		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	159		mg/L	2	1	08/10/2015	SV	1508041

TDF#:

[none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: GKMSW04-080915 EPA Tag No: Date / Time Sampled:

08/09/15 12:45

Workorder: C150802

Matrix: Surface Water

Lab Number:

C150802-44

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	27.1	J	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	49100		ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	6810		ug/L	100	1	08/10/2015	SV	1508041
200.7	Manganese	141		ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	1730		ug/L	250	1	08/10/2015	sv	1508041
200.7	Sodium	9460		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	51.7		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	39.6		ug/L	5.00	1	08/10/2015	SV	1508042
200.8	Cadmium	0.261	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	2.87		ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	0.945		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	1.99		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	sv	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	151		mg/L	2	1	08/10/2015	SV	1508041

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

**Station ID:** GKMSW05-080815 **Date / Time Sampled:** 08/08/15 11:50 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	30.7	J	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	52300		ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	7220		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	128		ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	1840		ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	10100		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	39.7		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	41.4		ug/L	5.00	1	08/10/2015	sv	1508042
200.8	Cadmium	0.153	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	1.68	J	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	0.581		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	1.81		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	160		mg/L	2	1	08/10/2015	SV	1508041

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW05-080915
 Date / Time Sampled:
 08/09/15 12:25
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	41.6	J	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	50000		ug/L	100	1	08/10/2015	sv	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	sv	1508041
200.7	Magnesium	6940		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	119		ug/L	2.00	1	08/10/2015	sv	1508041
200.7	Potassium	1710		ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	9440		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	25.6		ug/L	10.0	1	08/10/2015	sv	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	39.8		ug/L	5.00	1	08/10/2015	sv	1508042
200.8	Cadmium	0.116	J	ug/L	0.100	1	08/10/2015	sv	1508042
200.8	Chromium	2.69		ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	0.819		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	1.97		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	sv	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	153		mg/L	2	1	08/10/2015	SV	1508041

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW06-080815
 Date / Time Sampled:
 08/08/15 00:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	45.0	J	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	35200		ug/L	100	1	08/10/2015	sv	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	4380		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	444		ug/L	2.00	1	08/10/2015	sv	1508041
200.7	Potassium	687	J	ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	2170		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	61.5		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	28.3		ug/L	5.00	1	08/10/2015	sv	1508042
200.8	Cadmium	0.344	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	1.73		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	2.44		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	106		mg/L	2	1	08/10/2015	SV	1508041

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW07-080815
 Date / Time Sampled:
 08/08/15 13:50
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	6940		ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	139000		ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	14700		ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	9440		ug/L	100	1	08/10/2015	SV	1508041
200.7	Manganese	5460		ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	1340		ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	3620		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	3370		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508042
200.8	Cadmium	10.7	J	ug/L	0.500	5	08/10/2015	SV	1508042
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508042
200.8	Cobalt	24.2		ug/L	0.500	5	08/10/2015	SV	1508042
200.8	Copper	437		ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Lead	27.6		ug/L	0.500	5	08/10/2015	SV	1508042
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508042
200.8	Nickel	11.7		ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508042
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508042
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508042
2340B	Hardness	386		mg/L	2	1	08/10/2015	SV	1508041

TDF#:

[none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

Station ID: GKMSW08-080815 EPA Tag No: Date / Time Sampled: Matrix: Surface Water

08/08/15 14:10

Workorder: C150802

Lab Number:

C150802-59 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	67.1		ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	37800		ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	2590		ug/L	100	1	08/10/2015	SV	1508041
200.7	Manganese	816		ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	530	J	ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	1720		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	224		ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	20.3		ug/L	5.00	1	08/10/2015	SV	1508042
200.8	Cadmium	0.708	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	0.775		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	3.12		ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	1.52		ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	105		mg/L	2	1	08/10/2015	SV	1508041

TDF #: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

**Station ID:** GKMSW08-080915 **Date / Time Sampled:** 08/09/15 13:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	57.7		ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	39300		ug/L	100	1	08/10/2015	sv	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	sv	1508041
200.7	Magnesium	2680		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	784		ug/L	2.00	1	08/10/2015	sv	1508041
200.7	Potassium	525	J	ug/L	250	1	08/10/2015	sv	1508041
200.7	Sodium	1770		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	225		ug/L	10.0	1	08/10/2015	sv	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Barium	20.7		ug/L	5.00	1	08/10/2015	sv	1508042
200.8	Cadmium	0.881	J	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508042
200.8	Cobalt	0.761		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	3.20		ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	1.52		ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	109		mg/L	2	1	08/10/2015	sv	1508041

TDF#: [none]

### Metals (Dissolved) by EPA 200/7000 Series Methods

**Station ID:** GKMSW12-080915 **Date / Time Sampled:** 08/09/15 14:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	32.9	J	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	50100		ug/L	100	1	08/10/2015	sv	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	sv	1508041
200.7	Magnesium	6930		ug/L	100	1	08/10/2015	sv	1508041
200.7	Manganese	144		ug/L	2.00	1	08/10/2015	sv	1508041
200.7	Potassium	1750		ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	9670		ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	49.7		ug/L	10.0	1	08/10/2015	sv	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	40.8		ug/L	5.00	1	08/10/2015	SV	1508042
200.8	Cadmium	0.208	J	ug/L	0.100	1	08/10/2015	sv	1508042
200.8	Chromium	2.20		ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	0.896		ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	1.96		ug/L	0.500	1	08/10/2015	sv	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	sv	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	154		mg/L	2	1	08/10/2015	SV	1508041

TDF#: [none]

# Metals (Dissolved) by EPA 200/7000 Series Methods

 Station ID:
 GKMTB01-080815
 Date / Time Sampled:
 08/08/15 00:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508041
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Calcium	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Magnesium	< 250	U	ug/L	100	1	08/10/2015	SV	1508041
200.7	Manganese	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508041
200.7	Potassium	< 1000	U	ug/L	250	1	08/10/2015	SV	1508041
200.7	Sodium	< 1000	U	ug/L	250	1	08/10/2015	SV	1508041
200.7	Zinc	14.0	J	ug/L	10.0	1	08/10/2015	SV	1508041
200.8	Antimony	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Arsenic	< 2.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Barium	< 10.0	U	ug/L	5.00	1	08/10/2015	SV	1508042
200.8	Cadmium	< 0.200	J,	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Chromium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Cobalt	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Copper	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Lead	< 0.200	U	ug/L	0.100	1	08/10/2015	SV	1508042
200.8	Molybdenum	< 1.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Nickel	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Selenium	< 2.00	U	ug/L	1.00	1	08/10/2015	SV	1508042
200.8	Silver	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Thallium	< 1.00	U	ug/L	0.500	1	08/10/2015	SV	1508042
200.8	Vanadium	< 3.00	U	ug/L	2.00	1	08/10/2015	SV	1508042
2340B	Hardness	<2		mg/L	2	1	08/10/2015	SV	1508041

<sup>&</sup>quot;J" Qualifier indicates an estimated value

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-0000 Date / Time Sampled: 08/07/15 00:00 Workorder: C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	9210		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	65300		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	93500		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	10400		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	998		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	4740		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10900		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	750		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	10.9		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Arsenic	72.2		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	208		ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	2.35		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	6.76	J	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	3.70		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	278		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	2000		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	20.2		ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Selenium	6.91	J	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	13.6		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	11.6		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	52.2		ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-0030 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/07/15 00:30

Workorder: C150802

Lab Number: C1

C150802-04 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	12300		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	66600		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	121000		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	11100		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	1330		ug/L	2.00	1	08/10/2015	sv	1508043
200.7	Potassium	5410		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10600		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	980		ug/L	10.0	1	08/10/2015	sv	1508043
200.8	Antimony	10.3		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Arsenic	87.5		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	207		ug/L	25.0	5	08/10/2015	sv	1508043
200.8	Cadmium	2.85		ug/L	0.500	5	08/10/2015	sv	1508043
200.8	Chromium	7.85	J	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	5.12		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	395		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Lead	2620		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	25.8		ug/L	5.00	5	08/10/2015	sv	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Selenium	6.67	J	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	16.3		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Vanadium	60.8		ug/L	10.0	5	08/10/2015	sv	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-1000 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/07/15 10:00

Workorder: C150802

Lab Number:

C150802-07

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	3000		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	53500		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	14300		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7590		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	245		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	2760		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10100		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	226		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	12.6		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	60.7		ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	1.12		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	0.868	J	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	57.0		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	192		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2005 Date / Time Sampled:

08/06/15 20:05 EPA Tag No: Matrix: Surface Water Lab Number:

Workorder: C150802 C150802-10 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	122		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	53100		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	152	J	ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7210		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	90.1		ug/L	2.00	1	08/10/2015	sv	1508043
200.7	Potassium	1920		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10600		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	58.0		ug/L	10.0	1	08/10/2015	sv	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Barium	43.4	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	2.53	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	1.49		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2108 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/06/15 21:08

Workorder: C150802

Lab Number:

C150802-13 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	119		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	52900		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	163	J	ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7170		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	92.4		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	1910		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10500		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	61.2		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	45.1	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	2.57	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	1.41		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2200 EPA Tag No:

Date / Time Sampled: 08 Matrix: Surface Water

08/06/15 22:00

Workorder: C150802

**Lab Number:** C150802-16 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	227		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	54100		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	670		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7310		ug/L	100	1	08/10/2015	sv	1508043
200.7	Manganese	108		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	1970		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10600		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	66.8		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	46.0	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	3.65	J	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Lead	10.1		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: AMIMAS-ROTARY PARK-2300 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/06/15 23:00

Workorder: C150802

Lab Number:

C150802-19 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	5530		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	57300		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	23200		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	8250		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	341		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	4150		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10600		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	244		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	3.07	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	14.7		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	92.5		ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	0.603	J	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	1.05		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	69.5		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	470		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	5.14		ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	3.06	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	14.6	J	ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMSW01-080815 **Date / Time Sampled:** 08/08/15 10:05 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	811		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	55200		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	2930		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7940		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	151		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	2260		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	10900		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	91.5		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	47.9	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	13.8		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	34.1	J	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMSW01-080915 **Date / Time Sampled:** 08/09/15 12:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	497		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	51600		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	1410		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	7360		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	121		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	1940		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	9930		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	66.8		ug/L	10.0	1	08/10/2015	sv	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	2.68	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	43.3	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	9.13		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Lead	19.7		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	11.9		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

### Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW02-080815
 Date / Time Sampled:
 08/08/15 12:30
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	1580		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	35800		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	5370		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	4560		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	502		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	1080		ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	2200		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	251		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	5.99	J	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	34.6	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	0.897	J	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	1.88		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	32.4		ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Lead	61.2		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW02-080915
 Date / Time Sampled:
 08/09/15 11:37
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	696		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	36800		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	1770		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	4500		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	426		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	870	J	ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	2240		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	205		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	32.5	J	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	0.618	J	ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	1.57		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	21.9		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	12.0		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

## Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW03-080815
 Date / Time Sampled:
 08/08/15 14:35
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	1520		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	52200		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	3550		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	3980		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	1100		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	719	J	ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	2310		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	531		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	1.61		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	4.18		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	54.8		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	18.7		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW03-080915
 Date / Time Sampled:
 08/09/15 13:27
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	1580		ug/L	20.0	1	08/10/2015	SV	1508043
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Calcium	54200		ug/L	100	1	08/10/2015	SV	1508043
200.7	Iron	3340		ug/L	100	1	08/10/2015	SV	1508043
200.7	Magnesium	4120		ug/L	100	1	08/10/2015	SV	1508043
200.7	Manganese	1120		ug/L	2.00	1	08/10/2015	SV	1508043
200.7	Potassium	811	J	ug/L	250	1	08/10/2015	SV	1508043
200.7	Sodium	2470		ug/L	250	1	08/10/2015	SV	1508043
200.7	Zinc	571		ug/L	10.0	1	08/10/2015	SV	1508043
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508043
200.8	Cadmium	1.61		ug/L	0.500	5	08/10/2015	sv	1508043
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Cobalt	4.45		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Copper	57.2		ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Lead	11.6		ug/L	0.500	5	08/10/2015	SV	1508043
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508043
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508043
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508043

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW04-080815
 Date / Time Sampled:
 08/08/15 11:10
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	803		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	50100		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	2920		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	6950		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	186		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	1990		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	9690		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	124		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	44.1	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	0.607	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	15.8		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	37.6		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMSW04-080915 **Date / Time Sampled:** 08/09/15 12:45 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	603		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	50400		ug/L	100	1	08/10/2015	sv	1508046
200.7	Iron	1810		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	7140		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	164		ug/L	2.00	1	08/10/2015	sv	1508046
200.7	Potassium	1930		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	9810		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	99.9		ug/L	10.0	1	08/10/2015	sv	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	41.8	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	sv	1508046
200.8	Cobalt	0.528	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	11.7		ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Lead	22.3		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	sv	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	14.9	-	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

[none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

Station ID: GKMSW05-080815 EPA Tag No: Date / Time Sampled: Matrix: Surface Water

08/08/15 11:50

Workorder: C1

er: C150802

Lab Number:

C150802-46 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	688		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	52600		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	2640		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	7350		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	162		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	2010		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	10300		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	99.0		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	2.65	J	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	44.5	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	sv	1508046
200.8	Cobalt	0.520	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	14.4		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	30.7		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	3.51	J	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMSW05-080915 **Date / Time Sampled:** 08/09/15 12:25 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	526		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	49700		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	1540		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	7150		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	140		ug/L	2.00	1	08/10/2015	sv	1508046
200.7	Potassium	1900		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	9700		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	78.2		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	42.4	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	9.54		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	20.4		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

TDF #: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMSW06-080815 **Date / Time Sampled:** 08/08/15 00:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	1600		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	35200		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	5540		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	4650		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	494		ug/L	2.00	1	08/10/2015	sv	1508046
200.7	Potassium	1070		ug/L	250	1	08/10/2015	sv	1508046
200.7	Sodium	2240		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	244		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	40.0	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	0.704	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	sv	1508046
200.8	Cobalt	1.78		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	33.9		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	62.6		ug/L	0.500	5	08/10/2015	sv	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	sv	1508046

# Metals (Total Recov) by EPA 200/7000 Series Methods

[none]

 Station ID:
 GKMSW07-080815
 Date / Time Sampled:
 08/08/15 13:50
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	8370		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	139000		ug/L	100	1	08/10/2015	sv	1508046
200.7	Iron	24900		ug/L	100	1	08/10/2015	sv	1508046
200.7	Magnesium	9910		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	5450		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	1790		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	3680		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	3350		ug/L	10.0	1	08/10/2015	sv	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	11.0		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	28.8	J	ug/L	25.0	5	08/10/2015	sv	1508046
200.8	Cadmium	9.50		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	23.3		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	438		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	121		ug/L	0.500	5	08/10/2015	sv	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	8.61		ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW08-080815
 Date / Time Sampled:
 08/08/15 14:10
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	141		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	37100		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	155	J	ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	2610		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	808		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	548	J	ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	1710		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	233		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	0.707	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	6.32		ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Lead	2.81		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	sv	1508046

TDF#: [none]

# Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW08-080915
 Date / Time Sampled:
 08/09/15 13:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	108		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	38600		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	125	J	ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	2660		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	777		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	556	J	ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	1740		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	237		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	0.799	J	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	4.88	J	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	1.68		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	sv	1508046

TDF #: [none]

## Metals (Total Recov) by EPA 200/7000 Series Methods

 Station ID:
 GKMSW12-080915
 Date / Time Sampled:
 08/09/15 14:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	469		ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	50200		ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	1420		ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	7160		ug/L	100	1	08/10/2015	SV	1508046
200.7	Manganese	162		ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	1900		ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	9880		ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	89.3		ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Barium	41.2	J	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	9.42		ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	17.5		ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

TDF #: [none]

## Metals (Total Recov) by EPA 200/7000 Series Methods

**Station ID:** GKMTB01-080815 **Date / Time Sampled:** 08/08/15 00:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
200.7	Aluminum	< 50.0	U	ug/L	20.0	1	08/10/2015	SV	1508046
200.7	Beryllium	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Calcium	< 250	U	ug/L	100	1	08/10/2015	SV	1508046
200.7	Iron	< 250	U	ug/L	100	1	08/10/2015	SV	1508046
200.7	Magnesium	< 250	U	ug/L	100	1	08/10/2015	sv	1508046
200.7	Manganese	< 5.00	U	ug/L	2.00	1	08/10/2015	SV	1508046
200.7	Potassium	< 1000	U	ug/L	250	1	08/10/2015	SV	1508046
200.7	Sodium	< 1000	U	ug/L	250	1	08/10/2015	SV	1508046
200.7	Zinc	10.4	J	ug/L	10.0	1	08/10/2015	SV	1508046
200.8	Antimony	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Arsenic	< 10.0	U	ug/L	2.50	5	08/10/2015	sv	1508046
200.8	Barium	< 50.0	U	ug/L	25.0	5	08/10/2015	SV	1508046
200.8	Cadmium	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Chromium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Cobalt	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Copper	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Lead	< 1.00	U	ug/L	0.500	5	08/10/2015	SV	1508046
200.8	Molybdenum	< 5.00	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Nickel	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Selenium	< 10.0	U	ug/L	5.00	5	08/10/2015	SV	1508046
200.8	Silver	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Thallium	< 5.00	U	ug/L	2.50	5	08/10/2015	SV	1508046
200.8	Vanadium	< 15.0	U	ug/L	10.0	5	08/10/2015	SV	1508046

<sup>&</sup>quot;J" Qualifier indicates an estimated value

Results

0.149

TDF#: [none]

Mercury only (Total) by EPA 245.1 / 7470A Method

AMIMAS-ROTARY PARK-0000 Station ID: **EPA Tag No:** 

Parameter

Date / Time Sampled: Matrix:

08/07/15 00:00

MDL

0.0500

MDL

0.0500

Workorder:

C150802

Certificate of Analysis

C150802-01 Α

1508045

Method 245.1 Mercury

Qualifier

J

Surface Water

Units

uq/L

Lab Number:

Dilution

**Factor** 

Analyzed Ву Batch

NP

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: EPA Tag No:

AMIMAS-ROTARY PARK-0030

Date / Time Sampled:

08/07/15 00:30

Workorder: C150802

08/10/2015

Dilution

C150802-04

Matrix:

Qualifier

Surface Water

Lab Number:

NΡ

Method

245.1

Parameter Results 0.255 Mercury

Units ug/L

**Factor** 1

Analyzed 08/10/2015 By Batch

1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

AMIMAS-ROTARY PARK-1000

Date / Time Sampled: Matrix:

08/07/15 10:00

Workorder:

C150802

Method

Parameter Results Mercury

Qualifier

U

Surface Water

Lab Number:

C150802-07

245.1

< 0.100

Units ug/L

MDL 0.0500 Dilution Analyzed **Factor** 

08/10/2015

By

NΡ

Batch 1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:**  AMIMAS-ROTARY PARK-2005

Date / Time Sampled: Matrix: Surface Water

08/06/15 20:05

Workorder:

C150802

Parameter Mercury

Results

Qualifier

Units

Lab Number:

Dilution

1

C150802-10

Batch

Method 245.1

< 0.100

U

ug/L

**Factor** 0.0500

MDL

Analyzed 08/10/2015

Ву NP

1508045

TDF#: [none]

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: AMIMAS-ROTARY PARK-2108

**EPA Tag No:** 

Date / Time Sampled: 08/06/15 21:08

Matrix: Surface Water Workorder: C150802 Lab Number:

Certificate of Analysis

C150802-13

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

AMIMAS-ROTARY PARK-2200

Date / Time Sampled: Matrix: Surface Water

08/06/15 22:00

Workorder:

C150802

Lab Number: C150802-16

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

AMIMAS-ROTARY PARK-2300

Date / Time Sampled: Matrix: Surface Water

08/06/15 23:00

Workorder: Lab Number:

C150802

C150802-19

Dilution MDL Method Parameter Analyzed Ву Batch Results Qualifier Units **Factor** 245.1 Mercury 0.0880 J ug/L 0.0500 08/10/2015 NP 1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: EPA Tag No:

245.1

GKMSW01-080815

Mercury

Date / Time Sampled: Matrix: Surface Water

U

< 0.100

08/08/15 10:05

0.0500

Workorder: Lab Number:

1

C150802

08/10/2015

C150802-22

NΡ

Dilution MDL Method **Parameter** Analyzed By Batch Results Qualifier Units **Factor** 

ug/L

1508045

TDF#: [none]

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: GKMSW01-080915

**EPA Tag No:** 

Date / Time Sampled: Matrix: Surface Water

08/09/15 12:00

Workorder: Lab Number:

C150802

Certificate of Analysis

C150802-25

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW02-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 12:30

Workorder: Lab Number:

C150802

C150802-28

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ua/l	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:**  GKMSW02-080915

Date / Time Sampled: Matrix: Surface Water

08/09/15 11:37

Workorder: Lab Number:

C150802

C150802-31

Dilution MDL Method **Parameter** Analyzed Ву Batch Results Qualifier Units **Factor** 245.1 Mercury 08/10/2015 NP 1508045 ug/L < 0.100 U 0.0500

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:**  GKMSW03-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 14:35

Workorder: Lab Number: C150802

C150802-34

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ua/L	0.0500	1	08/10/2015	NP	1508045

**Project Name:** Upper Animas\_Surface Water 2\_AUG 2015\_A096

TDF#: [none]

GKMSW03-080915

Mercury only (Total) by EPA 245.1 / 7470A Method

**EPA Tag No:** 

Station ID:

Date / Time Sampled: Matrix: Surface Water

08/09/15 13:27

Workorder:

C150802

Certificate of Analysis

Lab Number:

C150802-37

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW04-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 11:10

Workorder:

C150802

Lab Number:

C150802-40

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW04-080915

Date / Time Sampled:

08/09/15 12:45 Matrix: Surface Water

Workorder: Lab Number: C150802

C150802-43

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW05-080815

Date / Time Sampled:

Matrix: Surface Water

08/08/15 11:50

Workorder: Lab Number:

C150802

C150802-46

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ua/L	0.0500	1	08/10/2015	NP	1508045

TDF#: [none]

GKMSW05-080915

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:**  Date / Time Sampled: Matrix: Surface Water

08/09/15 12:25

Workorder: Lab Number:

C150802

Certificate of Analysis

C150802-49

Ву

Α

Batch

1508045

Dilution MDL Method Parameter Analyzed Results Qualifier Units **Factor** 245.1 Mercury 08/10/2015 NP ug/L < 0.100 Ú 0.0500

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW06-080815

Date / Time Sampled:

Matrix:

08/08/15 00:00

Workorder:

C150802

Lab Number: C150802-52

Dilution MDL Method Parameter Analyzed By Batch Results Qualifier Units Factor 245.1 Mercury 08/10/2015 NP 1508045 < 0.100 U ug/L 0.0500

Surface Water

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW07-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 13:50

Workorder: Lab Number:

C150802

C150802-55

Dilution MDL Method Parameter Analyzed Ву Batch Results Qualifier Units **Factor** 245.1 Mercury 08/10/2015 NP 1508045 U 0.0500 < 0.100 ug/L

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: **EPA Tag No:** 

GKMSW08-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 14:10

Workorder:

C150802

Lab Number:

C150802-58

Dilution MDL Method Parameter Analyzed Ву Batch Qualifier Units Results Factor 245.1 08/10/2015 NP 1508045 Mercury 1 U < 0.100 ug/L 0.0500

Project Name: Upper Animas\_Surface Water 2\_AUG 2015\_A096

TDF#: [none]

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: GKMSW08-080915 Date / Ti

EPA Tag No:

Date / Time Sampled: 0
Matrix: Surface Water

08/09/15 13:00

Workorder: Lab Number: C150802

Certificate of Analysis

C150802-61

Α

Dilution MDL Method Parameter Analyzed Ву Batch Results Qualifier Units **Factor** 245.1 Mercury 08/10/2015 NΡ 1508045 U < 0.100 ug/L 0.0500

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: Gl EPA Tag No:

GKMSW12-080915

Date / Time Sampled: Matrix: Surface Water

08/09/15 14:00

Workorder: C Lab Number:

C150802

J 10U8UZ

C150802-64 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	11	ua/l	0.0500	1	08/10/2015	NP	1508045

Mercury only (Total) by EPA 245.1 / 7470A Method

Station ID: EPA Tag No:

GKMTB01-080815

Date / Time Sampled: Matrix: Surface Water

08/08/15 00:00

Workorder: Lab Number: C150802

C150802-67

7 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
245.1	Mercury	< 0.100	U	ug/L	0.0500	1	08/10/2015	NP	1508045

<sup>&</sup>quot;J" Qualifier indicates an estimated value

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-0000 **EPA Tag No:** 

Date / Time Sampled: Matrix: Surface Water 08/07/15 00:00

Workorder:

C150802

Lab Number:

C150802-03

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	5.84		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	310		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	612		mg/L	10	1	08/11/2015	JCB	1508040

### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-0030 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/07/15 00:30

Workorder:

C150802

Lab Number:

C150802-06

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	5.98		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	312		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	816		mg/L	10	1	08/11/2015	JCB	1508040

#### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-1000

Date / Time Sampled:

08/07/15 10:00

Workorder:

C150802

C150802-09

EPA Tag No:

Matrix: Surface Water

Lab Number:

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	6.68		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	244		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended	72		mg/L	10	1	08/11/2015	JCB	1508040

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-2005 **EPA Tag No:** 

Date / Time Sampled: Matrix: Surface Water 08/06/15 20:05

Workorder:

C150802

Lab Number:

C150802-12

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	7.09		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	252		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

## Classical Chemistry by EPA/ASTM/APHA Methods

AMIMAS-ROTARY PARK-2108 Station ID: **EPA Tag No:** 

Date / Time Sampled: Matrix: Surface Water

08/06/15 21:08

Workorder:

C150802

Lab Number:

C150802-15

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	7.12		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	262		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

## Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-2200 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water

08/06/15 22:00

Workorder:

C150802

Lab Number:

C150802-18

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	7.14		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	240		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: AMIMAS-ROTARY PARK-2300 EPA Tag No:

Date / Time Sampled: Matrix: Surface Water Workorder:

C150802

Lab Number:

C150802-21

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
150.1	рН	7.10		pH Units		1	08/10/2015	SW	1508052
EPA 160.1	Total Dissolved Solids	274		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

## Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: GKMSW01-080815 EPA Tag No: Date / Time Sampled: Matrix: Surface Water

08/08/15 10:05

08/06/15 23:00

Workorder: C

C150802

**Lab Number:** C150802-24

Α

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	266		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

#### Classical Chemistry by EPA/ASTM/APHA Methods

Station ID: GKMSW01-080915

EPA Tag No:

Date / Time Sampled:

Matrix: Surface Water

08/09/15 12:00

Workorder:

C150802

Lab Number:

C150802-27 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	244		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	76.6		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW02-080815
 Date / Time Sampled:
 08/08/15 12:30
 Workorder:
 C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-30

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	168		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

#### Classical Chemistry by EPA/ASTM/APHA Methods

EPA Tag No: Matrix: Surface Water Lab Number: C150802-33

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	160		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	35.7		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW03-080815
 Date / Time Sampled:
 08/08/15 14:35
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	236		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW03-080915
 Date / Time Sampled:
 08/09/15 13:27
 Workorder:
 C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-39

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	234		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	11.2		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

## Classical Chemistry by EPA/ASTM/APHA Methods

EPA Tag No: Matrix: Surface Water Lab Number: C150802-42 A

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	246		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended	< 10		mg/L	10	1	08/11/2015	JCB	1508040

#### Classical Chemistry by EPA/ASTM/APHA Methods

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	238		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	76.3		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW05-080815
 Date / Time Sampled:
 08/08/15 11:50
 Workorder:
 C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-48

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	248		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

#### Classical Chemistry by EPA/ASTM/APHA Methods

**Station ID:** GKMSW05-080915 **Date / Time Sampled:** 08/09/15 12:25 **Workorder:** C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-51

MDL Dilution Method **Parameter** Analyzed Results Qualifier Units By Batch **Factor** EPA 160.1 Total Dissolved 234 mg/L 10 1 08/11/2015 JCB 1508044 Solids EPA 160.2 Total Suspended 1 08/11/2015 JCB 1508040 < 10 10 mg/L Solids EPA 310.1 **Total Alkalinity** 77.2 mg CaCO3 / L 5.00 1 08/10/2015 SW 1508047

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW06-080815
 Date / Time Sampled:
 08/08/15 00:00
 Workorder:
 C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	156		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

TDF#: [none]

#### Classical Chemistry by EPA/ASTM/APHA Methods

 Station ID:
 GKMSW07-080815
 Date / Time Sampled:
 08/08/15 13:50
 Workorder:
 C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-57

Dilution MDL Method **Parameter** Analyzed Ву **Batch** Results Qualifier Units **Factor** EPA 160.1 Total Dissolved 810 mg/L 10 1 08/11/2015 **JCB** 1508044 Solids EPA 160.2 Total Suspended 08/11/2015 JCB 1508040 1 < 10 mg/L 10 Solids

#### Classical Chemistry by EPA/ASTM/APHA Methods

**Station ID:** GKMSW08-080815 **Date / Time Sampled:** 08/08/15 14:10 **Workorder:** C150802

EPA Tag No: Matrix: Surface Water Lab Number: C150802-60

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	162		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040

## Classical Chemistry by EPA/ASTM/APHA Methods

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	156		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	< 10		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	32.7		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

Project Name: Upper Animas\_Surface Water 2\_AUG 2015\_A096

s\_Surface Water 2\_AUG 2015\_A096 Certificate of Analysis

TDF #: [none]

## Classical Chemistry by EPA/ASTM/APHA Methods

**Station ID:** GKMSW12-080915 **Date / Time Sampled:** 08/09/15 14:00 **Workorder:** C150802

Method	Parameter	Results	Qualifier	Units	MDL	Dilution Factor	Analyzed	Ву	Batch
EPA 160.1	Total Dissolved Solids	250		mg/L	10	1	08/11/2015	JCB	1508044
EPA 160.2	Total Suspended Solids	14		mg/L	10	1	08/11/2015	JCB	1508040
EPA 310.1	Total Alkalinity	76.7		mg CaCO3 / L	5.00	1	08/10/2015	SW	1508047

<sup>&</sup>quot;J" Qualifier indicates an estimated value

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
ICPMS-PE DRC-II	l					-			
Batch 1508039 - No	Lab Prep Reqd		Water					ICP	/IS-PE DRC-I
Method Blank (15080	039-BLK1)	Dilution Factor:	1			Prepar	ed & Analyz	ed: 08/10/15	
Vanadium	< 2.00	3.00	ug/L						
Chromium	< 1.00	2.00	я						
Cobalt	< 0.100	0.200	я						
Vickel	< 0.500	1.00	н						
Copper	< 0.500	1.00	н						
Arsenic	< 0.500	2.00	н						
Selenium	< 1.00	2.00	н						
Molybdenum	< 1.00	1.00	n						
Silver	< 0.500	1.00	п						
Cadmium	< 0.100	0.200	п						
Antimony	< 0.500	1.00	"						
Barium	< 5.00	10.0	н						
Thallium	< 0.500	1.00	я						
Lead	< 0.100	0.200	п						
Method Blank Spike	(1508039-BS1)	Dilution Factor:	1			Prepar	ed & Analyz	ted: 08/10/15	
Vanadium	93.0	3.00	ug/L	100		93	85-115		
Chromium	91.8	2.00	я	100		92	85-115		
Cobalt	92.7	0.200	я	100		93	85-115		
Nickel	92.2	1.00	н	100		92	85-115		
Copper	91.8	1.00	я	100		92	85-115		
Arsenic	94.6	2.00	я	100		95	85-115		
Selenium	482	2.00	я	500		96	85-115		
Molybdenum	96.3	1.00	я	100		96	85-115		
Silver	94.7	1.00	н	100		95	85-115		
Cadmium	96.4	0.200	н	100		96	85-115		
Antimony	98.2	1.00	я	100		98	85-115		
	94.4	10.0	я	100		94	85-115		
Barium									
Barium Thallium	94.8	1.00	п	100		95	85-115		

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508039 - No	Lab Prep Reqd	V	Vater					ICPM	IS-PE DRC-II
Duplicate (1508039-	OUP1)	Dilution Factor: 1	Source	: C150802-2	23	Prepa	red & Analyz	zed: 08/10/15	
Vanadium	< 2.00	3.00	ug/L		< 2.00				20
Chromium	1.59	2.00	я		1.55			3	20
Cobalt	0.606	0.200	я		0.653			8	20
Nickel	< 0.500	1.00	я		< 0.500				20
Copper	1.81	1.00	я		1.73			4	20
Arsenic	< 0.500	2.00	**		< 0.500				20
Selenium	< 1.00	2.00	"		< 1.00				20
Molybdenum	< 1.00	1.00	"		< 1.00				20
Silver	< 0.500	1.00	"		< 0.500				20
Cadmium	< 0.100	0.200	"		< 0.100				20
Antimony	< 0.500	1.00	**		< 0.500				20
Barium	40.9	10.0	"		41.4			1	20
Thallium	< 0.500	1.00	"		< 0.500				20
Lead	< 0.100	0.200	п		< 0.100				20
Matrix Spike (15080	39-MS1)	Dilution Factor: 1	Source	: C150802-2	23	Prepa	red & Analyz	red: 08/10/15	
Vanadium	90.3	3.00	ug/L	100	< 2.00	90	70-130		
Chromium	89.3	2.00	"	100	1.55	88	70-130		
Cobalt	88.6	0.200	я	100	0.653	88	70-130		
Nickel	86.4	1.00	я	100	< 0.500	86	70-130		
Copper	87.4	1.00	"	100	1.73	86	70-130		
Arsenic	94.1	2.00	"	100	< 0.500	94	70-130		
Selenium	496	2.00	н	500	< 1.00	99	70-130		
Molybdenum	100	1.00	я	100	< 1.00	100	70-130		
Silver	93.3	1.00	н	100	< 0.500	93	70-130		
Cadmium	97.4	0.200	**	100	< 0.100	97	70-130		
Antimony	100	1.00	**	100	< 0.500	100	70-130		
Barium	136	10.0	**	100	41.4	94	70-130		
Thallium	94.3	1.00	**	100	< 0.500	94	70-130		
Lead	94.4	0.200	н	100	< 0.100	94	70-130		

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
3atch 1508039 - No	Lab Prep Reqd	V	Vater					ICPN	IS-PE DRC-I
Matrix Spike (15080	39-MS2)	Dilution Factor: 1	Source	: C150802-2	26	Prepa	red & Analyz	ted: 08/10/15	
Vanadium	88.9	3.00	ug/L	100	< 2.00	89	70-130		
Chromium	89.5	2.00	<b>51</b>	100	3.62	86	70-130		
Cobalt	87.2	0.200	<b>51</b>	100	0.872	86	70-130		
Nickel	84.2	1.00	я	100	< 0.500	84	70-130		
Copper	85.6	1.00	п	100	2.09	84	70-130		
Arsenic	101	2.00	п	100	0.512	100	70-130		
Selenium	509	2.00	н	500	< 1.00	102	70-130		
Molybdenum	98.5	1.00	п	100	< 1.00	98	70-130		
Silver	93.3	1.00	п	100	< 0.500	93	70-130		
Cadmium	95.0	0.200	"	100	< 0.100	95	70-130		
Antimony	98.8	1.00	н	100	< 0.500	99	70-130		
Barium	134	10.0	я	100	39.4	95	70-130		
Thallium	93.8	1.00	я	100	< 0.500	94	70-130		
Lead	92.2	0.200	н	100	< 0.100	92	70-130		
Batch 1508042 - No	o Lab Prep Reqd	V	Vater					ICPN	IS-PE DRC-I
Method Blank (1508	042-BLK1)	Dilution Factor: 1				Prepa	red & Analyz	red: 08/10/15	
Vanadium	< 2.00	3.00	ug/L						
Chromium	< 1.00	2.00	n n						
Cobalt	< 0.100	0.200	я						
Nickel	< 0.500	1.00	я						
Copper	< 0.500	1.00	я						
Pho.	< 0.500	2.00	я						
Arsenic									
	< 1.00	2.00	я						
Selenium	< 1.00 < 1.00	2.00 1.00	я						
Selenium Molybdenum									
Selenium Molybdenum Silver	< 1.00	1.00	н						
Arsenic Selenium Molybdenum Silver Cadmium Antimony	< 1.00 < 0.500	1.00 1.00	н						
Selenium Molybdenum Silver Cadmium Antimony	< 1.00 < 0.500 < 0.100 < 0.500	1.00 1.00 0.200 1.00	я я						
Selenium Molybdenum Silver	< 1.00 < 0.500 < 0.100	1.00 1.00 0.200	ss ss						

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508042 - No	o Lab Prep Reqd	ı	Vater					ICPN	/IS-PE DRC-II
Method Blank Spike	(1508042-BS1)	Dilution Factor: 1				Prepa	red & Analyz	ed: 08/10/15	
Vanadium	92.9	3.00	ug/L	100		93	85-115		
Chromium	91.0	2.00	я	100		91	85-115		
Cobalt	93.8	0.200	я	100		94	85-115		
Nickel	91.9	1.00	я	100		92	85-115		
Copper	90.4	1.00	я	100		90	85-115		
Arsenic	91.1	2.00	**	100		91	85-115		
Selenium	466	2.00	н	500		93	85-115		
Molybdenum	95.5	1.00	"	100		95	85-115		
Silver	94.0	1.00	"	100		94	85-115		
Cadmium	97.1	0.200	"	100		97	85-115		
Antimony	97.7	1.00	**	100		98	85-115		
Barium	97.1	10.0	н	100		97	85-115		
Thallium	94.6	1.00	"	100		95	85-115		
Lead	93.8	0.200	п	100		94	85-115		
Duplicate (1508042-I	DUP1)	Dilution Factor: 1	Source	: C150802-4	11	Prepa	red & Analyz	ed: 08/10/15	
Vanadium	< 2.00	3.00	ug/L		< 2.00				20
Chromium	1.70	2.00	"		1.57			8	20
Cobalt	1.47	0.200	я		1.58			7	20
Nickel	< 0.500	1.00	**		< 0.500				20
Copper	2.01	1.00	"		1.93			4	20
Arsenic	< 0.500	2.00	"		< 0.500				20
Selenium	< 1.00	2.00	я		< 1.00				20
Molybdenum	< 1.00	1.00	я		< 1.00				20
Silver	< 0.500	1.00	я		< 0.500				20
Cadmium	0.210	0.200	я		0.232			10	20
Antimony	< 0.500	1.00	я		< 0.500				20
Barium	39.6	10.0	**		40.5			2	20
Thallium	< 0.500	1.00	я		< 0.500				20
Lead	< 0.100	0.200	п		< 0.100				20

TDF#: [none]

Metals (Dissolved) by EPA 200/7000 Series Methods - Quality Control TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limi
Batch 1508042 - No Lab Prep Reqd		Water						ICPM	IS-PE DRC-
Matrix Spike (1508042-MS1)		Dilution Factor: 1	Source: C150802-41		Prepa	red & Analyz	ed: 08/10/15		
Vanadium	87.5	3.00	ug/L	100	< 2.00	87	70-130		
Chromium	88.9	2.00	<b>11</b>	100	1.57	87	70-130		
Cobalt	88.0	0.200	Ħ	100	1.58	86	70-130		
Nickel	84.7	1.00	я	100	< 0.500	85	70-130		
Copper	85.9	1.00	я	100	1.93	84	70-130		
Arsenic	99.9	2.00	я	100	< 0.500	100	70-130		
Selenium	501	2.00	11	500	< 1.00	100	70-130		
Molybdenum	96.3	1.00	п	100	< 1.00	96	70-130		
Silver	89.5	1.00	п	100	< 0.500	89	70-130		
Cadmium	96.8	0.200	n	100	0.232	97	70-130		
Antimony	98.0	1.00	я	100	< 0.500	98	70-130		
Barium	133	10.0	#	100	40.5	92	70-130		
Thallium	89.8	1.00	n	100	< 0.500	90	70-130		
Lead	90.4	0.200	н	100	< 0.100	90	70-130		
Batch 1508051 - 15	00040	.,	/ater					ICPM	IS-PE DRC-
Datcii 1000001 - 10	008042	И	valer						
Serial Dilution (1508		Dilution Factor: 5		: C150802-2	23	Prepa	red & Analyz	ed: 08/10/15	
Serial Dilution (1508			Source	: C150802-2		Prepa	red & Analyz	ed: 08/10/15	10
Serial Dilution (1508 Vanadium	051-SRD1)	Dilution Factor: 5		: C150802-2	< 2.00	Prepa	red & Analyz	ed: 08/10/15	10 10
Serial Dilution (1508 Vanadium Chromium	<b>051-SRD1)</b> < 10.0	Dilution Factor: 5	Source ug/L	: C150802-2		Prepa	red & Analyz	ed: 08/10/15	
Serial Dilution (1508 Vanadium Chromium Cobalt	<b>051-SRD1)</b> < 10.0 < 5.00	Dilution Factor: 5 15.0 10.0	Source ug/L	: C150802-2	< 2.00 1.55 0.653	Prepa	red & Analyz		10
Serial Dilution (1508 Vanadium Chromium Cobalt Nickel	051-SRD1)  < 10.0 < 5.00 0.646	Dilution Factor: 5  15.0  10.0  1.00	Source ug/L "	: C150802-2	< 2.00 1.55 0.653 < 0.50	Prepa	red & Analyz		10 10
Serial Dilution (1508 Vanadium Chromium Cobalt Nickel Copper	<ul><li>051-SRD1)</li><li>&lt; 10.0</li><li>&lt; 5.00</li><li>0.646</li><li>&lt; 2.50</li></ul>	Dilution Factor: 5  15.0  10.0  1.00  5.00	Source ug/L "	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73	Prepa	red & Analyz		10 10 10
Serial Dilution (1508  Vanadium  Chromium  Cobalt  Nickel  Copper  Arsenic	<ul><li>051-SRD1)</li><li>&lt; 10.0</li><li>&lt; 5.00</li><li>0.646</li><li>&lt; 2.50</li><li>&lt; 2.50</li></ul>	Dilution Factor: 5  15.0  10.0  1.00  5.00  5.00	Source ug/L "	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50	Prepa	red & Analyz		10 10 10 10
Serial Dilution (1508  Vanadium  Chromium  Cobalt  Nickel  Copper  Arsenic  Selenium	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> </ul>	Dilution Factor: 5  15.0  10.0  1.00  5.00  5.00  10.0	Source ug/L "	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00	Prepa	red & Analyz		10 10 10 10 10
Serial Dilution (1508  Vanadium  Chromium  Cobalt  Nickel  Copper  Arsenic  Selenium  Molybdenum	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 5.00</li> </ul>	Dilution Factor: 5  15.0 10.0 1.00 5.00 5.00 10.0 10.0	Source ug/L " "	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00	Prepa	red & Analyz		10 10 10 10 10
Serial Dilution (1508  Vanadium  Chromium  Cobalt  Nickel  Copper  Arsenic  Selenium  Molybdenum  Silver	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 5.00</li> <li>&lt; 5.00</li> </ul>	Dilution Factor: 5  15.0 10.0 1.00 5.00 5.00 10.0 10.0 5.00	Source ug/L " " " "	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00 < 1.00 < 0.50	Prepa	red & Analyz		10 10 10 10 10 10 10
Serial Dilution (1508  Vanadium  Chromium  Cobalt  Nickel  Copper  Arsenic  Selenium  Molybdenum  Silver  Cadmium	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 5.00</li> <li>&lt; 5.00</li> <li>&lt; 2.50</li> </ul>	15.0 10.0 1.00 5.00 5.00 10.0 10.0 5.00 5.0	Source	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00 < 1.00 < 0.50 < 0.10	Prepa	red & Analyz		10 10 10 10 10 10 10
Serial Dilution (1508 Vanadium Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium Antimony	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 5.00</li> <li>&lt; 5.00</li> <li>&lt; 2.50</li> <li>&lt; 0.500</li> </ul>	15.0 10.0 1.00 5.00 5.00 10.0 10.0 5.00 5.0	Source	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00 < 1.00 < 0.50 < 0.10 < 0.50	Prepa	red & Analyz	1	10 10 10 10 10 10 10 10
Serial Dilution (1508 Vanadium Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium	<ul> <li>051-SRD1)</li> <li>&lt; 10.0</li> <li>&lt; 5.00</li> <li>0.646</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 2.50</li> <li>&lt; 5.00</li> <li>&lt; 5.00</li> <li>&lt; 2.50</li> <li>&lt; 0.500</li> <li>&lt; 2.50</li> </ul>	15.0 10.0 1.00 5.00 5.00 10.0 10.0 5.00 5.0	Source	: C150802-2	< 2.00 1.55 0.653 < 0.50 1.73 < 0.50 < 1.00 < 1.00 < 0.50 < 0.10	Prepa	red & Analyz		10 10 10 10 10 10 10

[none]

TDF#:

# Metals (Dissolved) by EPA 200/7000 Series Methods - Quality Control

## TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limit
Batch 1508051 - 15	08042	v	Vater					ICPI	MS-PE DRC-I
Serial Dilution (15080	051-SRD2)	Dilution Factor: 5	Source	: C150802-4	11	Prepa	red & Analyz	red: 08/10/15	
Vanadium	< 10.0	15.0	ug/L		< 2.00				10
Chromium	< 5.00	10.0	я		1.57				10
Cobalt	1.63	1.00	я		1.58			3	10
Nickel	< 2.50	5.00	я		< 0.50				10
Copper	< 2.50	5.00	**		1.93				10
Arsenic	< 2.50	10.0	**		< 0.50				10
Selenium	< 5.00	10.0	"		< 1.00				10
Molybdenum	< 5.00	5.00	"		< 1.00				10
Silver	< 2.50	5.00	"		< 0.50				10
Cadmium	< 0.500	1.00	"		0.232				10
Antimony	< 2.50	5.00	**		< 0.50				10
Barium	40.4	50.0	"		40.5			0.4	10
Thallium	< 2.50	5.00	"		< 0.50				10
Lead	< 0.500	1.00	н		< 0.10				10
ICPOE - PE Optim	a								
Batch 1508038 - No	Lab Prep Reqd	V	Vater					ICPO	E - PE Optima
Method Blank (15080	038-BLK1)	Dilution Factor: 1				Prepa	red: 08/09/15	Analyzed: 08/	10/15
Aluminum	< 20.0	50.0	ug/L						
Beryllium	< 2.00	5.00	"						
Calcium	< 100	250	"						
ron	< 100	250	"						
Potassium	< 250	1000	я						
Magnesium	< 100	250	**						
Vianganese	< 2.00	5.00	**						
Sodium	< 250	1000	н						
Zinc	< 10.0	20.0	"						

[none]

Analyte Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit	
Batch 1508038 - No Lab Prep Reqd		Water					ICPO	E - PE Optima	
Method Blank Spike (1508038-BS1)	Dilution Factor: 1	Dilution Factor: 1					Analyzed: 08/	10/15	
Aluminum 9985	50.0	ug/L	10100		99	85-115			
Beryllium 98.66	5.00	"	100		99	85-115			
Calcium 10080	250	я	10100		100	85-115			
ron 10070	250	я	10100		100	85-115			
Potassium 10190	1000	н	10100		101	85-115			
Magnesium 10050	250	н	10100		99	85-115			
Manganese 98.15	5.00	н	100		98	85-115			
Sodium 10050	1000	п	10100		100	85-115			
Zinc 100.6	20.0	"	100		101	85-115			
Duplicate (1508038-DUP1)	Dilution Factor: 1	Source	: C150802-2	3	Prepared: 08/09/15 Analyzed: 08/10/15				
Aluminum 35.17	50.0	ug/L		42.68			19	20	
Beryllium < 2.00	5.00	"		< 2.00				20	
Calcium 53430	250	"		53310			0.2	20	
ron < 100	250	n		< 100				20	
Potassium 1904	1000	п		1867			2	20	
Magnesium 7577	250	н		7497			1	20	
Manganese 102.6	5.00	п		101.5			1	20	
Sodium 10520	1000	я		10520			0.04	20	
Zinc 20.46	20.0	11		22.81			11	20	
Matrix Spike (1508038-MS1)	Dilution Factor: 1	Source	Source: C150802-23			Prepared: 08/09/15 Analyzed: 08/10/15			
Aluminum 10280	50.0	ug/L	10100	42.68	101	70-130			
Beryllium 99.60	5.00	"	100	< 2.00	100	70-130			
Calcium 62190	250	н	10100	53310	88	70-130			
ron 10270	250	я	10100	< 100	102	70-130			
Potassium 12370	1000	я	10100	1867	104	70-130			
Magnesium 17530	250	н	10100	7497	99	70-130			
Manganese 199.0	5.00	н	100	101.5	97	70-130			
Sodium 20620	1000	н	10100	10520	100	70-130			
Zinc 118.6	20.0	н	100	22.81	96	70-130			

TDF#: [none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limi
Batch 1508038 - No	Lab Prep Reqd	1	Nater					ICPO	E - PE Optim
Matrix Spike (15080	38-MS2)	Dilution Factor: 1	Source	: C150802-2	6	Prepa	red: 08/09/15	Analyzed: 08	/10/15
Aluminum	10120	50.0	ug/L	10100	75.60	99	70-130		
Beryllium	99.33	5.00	49/L	100	< 2.00	99	70-130		
Calcium	58900	250	Ħ	10100	50670	81	70-130		
Iron	10080	250	я	10100	< 100	100	70-130		
Potassium	12040	1000	#	10100	1774	102	70-130		
Magnesium	17020	250	я	10100	7266	97	70-130		
Manganese	179.0	5.00	и	100	81.85	97	70-130		
Sodium	19610	1000	и	10100	9758	98	70-130		
Zinc	105.9	20.0	п	100	< 10.0	106	70-130		
Batch 1508041 - No	o Lab Prep Reqd	ı	Nater					ICPO	E - PE Optin
Method Blank (1508)	041-BLK1)	Dilution Factor: 1				Prepared & Analyzed: 08/10/15			
Aluminum	< 20.0	50.0	ug/L						
Beryllium	< 2.00	5.00	ug/L						
Calcium	< 100	250	п						
Iron	< 100	250	я						
Potassium	< 250	1000	#						
Magnesium	< 100	250	<b>51</b>						
Manganese	< 2.00	5.00	Ħ						
Sodium	< 250	1000	н						
Zinc	< 10.0	20.0	11						
Method Blank Spike	(1508041-BS1)	Dilution Factor: 1				Prepa	red & Analyz	zed: 08/10/15	
Aluminum	9997	50.0	ug/L	10100		99	85-115		
Beryllium	98.43	5.00	"	100		98	85-115		
Calcium	10070	250	я	10100		100	85-115		
ron	10040	250	я	10100		99	85-115		
Potassium	10210	1000	#	10100		101	85-115		
Magnesium	10030	250	#	10100		99	85-115		
Manganese	97.34	5.00	я	100		97	85-115		
Sodium	10080	1000	я	10100		100	85-115		

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%D or RPD	%D or RPD Limit
Batch 1508041 - No	o Lab Prep Reqd	Water						ICPO	E - PE Optima
Duplicate (1508041-I	DUP1)	Dilution Factor: 1	Source: C150802-41			Prepared & Analyzed: 08/10/15			
Aluminum	24.39	50.0	ug/L		< 20.0				20
Beryllium	< 2.00	5.00	"		< 2.00				20
Calcium	51610	250	я		52020			0.8	20
ron	< 100	250	я		< 100				20
Potassium	1813	1000	я		1799			0.8	20
Magnesium	7039	250	я		6986			0.8	20
Manganese	145.2	5.00	н		145.6			0.3	20
Sodium	9948	1000	"		10010			0.6	20
Zinc	66.15	20.0	п		65.97			0.3	20
Matrix Spike (15080	41-MS1)	Dilution Factor: 1	Source	: C150802-4	11	Prepared & Analyzed: 08/10/15			
Aluminum	10060	50.0	ug/L	10100	< 20.0	100	70-130		
Beryllium	98.70	5.00	"	100	< 2.00	99	70-130		
Calcium	60530	250	"	10100	52020	84	70-130		
ron	10090	250	"	10100	< 100	100	70-130		
Potassium	12100	1000	"	10100	1799	102	70-130		
Magnesium	16880	250	**	10100	6986	98	70-130		
Manganese	241.9	5.00	я	100	145.6	96	70-130		
Sodium	19620	1000	я	10100	10010	95	70-130		
Zinc	161.5	20.0	я	100	65.97	96	70-130		
Batch 1508049 - 15	508041	ν	Vater					ICPO	E - PE Optim
Serial Dilution (1508	049-SRD1)	Dilution Factor: 5	Source	: C150802-2	13	Prepared: 08/09/15 Analyzed: 08/10/			10/15
Aluminum	< 100	250	ug/L		42.68				10
Beryllium	< 10.0	25.0	"		< 2.00				10
Calcium	52210	1250	я		53310			2	10
ron	< 500	1250	**		< 100.00				10
Potassium	1987	5000	**		1867			6	10
Magnesium	7501	1250	**		7497			0.06	10
Manganese	101.2	25.0	**		101.5			0.3	10
Sodium	10410	5000	**		10520			1	10
Zinc	< 50.0	100			22.81				10

[none]

#### Metals (Dissolved) by EPA 200/7000 Series Methods - Quality Control

#### TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limit
Batch 1508049 - 15	508041	V	Vater					ICPO	E - PE Optima
Serial Dilution (1508	8049-SRD2)	Dilution Factor: 5	Dilution Factor: 5 Source: C150802-41						
Aluminum	< 100	250	ug/L		< 20.00				10
Beryllium	< 10.0	25.0	я		< 2.00				10
Calcium	50680	1250	я		52020			3	10
Iron	< 500	1250	я		< 100.00				10
Potassium	1781	5000	я		1799			1	10
Magnesium	6947	1250	я		6986			0.6	10
Manganese	144.9	25.0	п		145.6			0.5	10
Sodium	9829	5000	п		10010			2	10
Zinc	65.34	100	п		65.97			1	10

NOTE:

RPD = Relative Percent Difference %D = % Difference DL = Detection Limit for QC sample

<sup>%</sup>R = % Recovery, %R limits do not apply when sample levels exceed 4x the spike level.

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
CPMS-PE DRC-I	I								
3atch 1508043 - 20	0.2 - TR Metals	И	/ater					ICPN	/IS-PE DRC-I
Method Blank (1508)	043-BLK2)	Dilution Factor: 5				Prepai	ed & Analyz	red: 08/10/15	
Vanadium	< 10.0	15.0	ug/L						
Chromium	< 5.00	10.0	н						
Cobalt	< 0.500	1.00	**						
Vickel	< 2.50	5.00	#						
Copper	< 2.50	5.00	**						
Arsenic	< 2.50	10.0	я						
Selenium	< 5.00	10.0	я						
Molybdenum	< 5.00	5.00	**						
Silver	< 2.50	5.00	"						
Cadmium	< 0.500	1.00	"						
Antimony	< 2.50	5.00	"						
Barium	< 25.0	50.0	**						
Thallium	< 2.50	5.00	**						
Lead	< 0.500	1.00	н						
Duplicate (1508043-	DUP2)	Dilution Factor: 5	Source:	C150802-2	22	Prepai	ed & Analyz	red: 08/10/15	
Vanadium	< 10.0	15.0	ua/L		< 10.0				20
Vanadium Chromium	< 10.0 < 5.00	15.0 10.0	ug/L		< 10.0 < 5.00				20 20
Chromium					< 5.00				20 20 20
Chromium Cobalt	< 5.00	10.0	"		< 5.00 < 0.500				20
Chromium Cobalt Nickel	< 5.00 < 0.500	10.0 1.00	н		< 5.00 < 0.500 < 2.50			7	20 20
Chromium Cobalt Nickel Copper	< 5.00 < 0.500 < 2.50	10.0 1.00 5.00	n n		< 5.00 < 0.500 < 2.50 13.84			7	20 20 20
Chromium Cobalt Nickel Copper Arsenic	< 5.00 < 0.500 < 2.50 14.81	10.0 1.00 5.00 5.00	n n n		< 5.00 < 0.500 < 2.50 13.84 < 2.50			7	20 20 20 20 20
Chromium Cobalt Nickel Copper Arsenic Selenium	< 5.00 < 0.500 < 2.50 14.81 2.770	10.0 1.00 5.00 5.00 10.0	n n n		< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00			7	20 20 20 20 20 20
Chromium Cobalt Nickel Copper Arsenic Gelenium Molybdenum	< 5.00 < 0.500 < 2.50 14.81 2.770 < 5.00	10.0 1.00 5.00 5.00 10.0	11 11 11 11		< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00			7	20 20 20 20 20 20 20
Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver	< 5.00 < 0.500 < 2.50 14.81 2.770 < 5.00	10.0 1.00 5.00 5.00 10.0 10.0 5.00			< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00 < 5.00 < 2.50			7	20 20 20 20 20 20 20 20
Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium	< 5.00 < 0.500 < 2.50 14.81 2.770 < 5.00 < 5.00 < 2.50	10.0 1.00 5.00 5.00 10.0 10.0 5.00	n n n		< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.500			7	20 20 20 20 20 20 20
Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium Antimony	< 5.00 < 0.500 < 2.50 14.81 2.770 < 5.00 < 5.00 < 2.50 < 0.500	10.0 1.00 5.00 5.00 10.0 10.0 5.00 5.00	n n n n		< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.500 < 2.50				20 20 20 20 20 20 20 20 20
Vanadium Chromium Cobalt Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium Antimony Barium Thallium	< 5.00 < 0.500 < 2.50 14.81 2.770 < 5.00 < 5.00 < 2.50 < 0.500 < 2.50	10.0 1.00 5.00 5.00 10.0 10.0 5.00 5.00			< 5.00 < 0.500 < 2.50 13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.500			7	20 20 20 20 20 20 20 20 20

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508043 - 200	0.2 - TR Metals	ν	Vater					ICPI	MS-PE DRC-II
Matrix Spike (150804	13-MS2)	Dilution Factor: 5	Source	: C150802-2	22	Prepa	red & Analyz	ed: 08/10/15	
Vanadium	276.7	15.0	ug/L	300	< 10.0	92	70-130		
Chromium	367.0	10.0	<b>51</b>	400	< 5.00	92	70-130		
Cobalt	186.1	1.00	81	200	< 0.500	93	70-130		
Nickel	455.9	5.00	я	500	< 2.50	91	70-130		
Copper	285.6	5.00	я	300	13.84	91	70-130		
Arsenic	765.2	10.0	я	800	< 2.50	96	70-130		
Selenium	1926	10.0	н	2000	< 5.00	96	70-130		
Molybdenum	394.3	5.00	п	400	< 5.00	99	70-130		
Silver	72.21	5.00	п	75.0	< 2.50	96	70-130		
Cadmium	197.2	1.00	п	200	< 0.500	99	70-130		
Antimony	774.7	5.00	я	800	< 2.50	97	70-130		
, Barium	231.1	50.0	н	200	47.93	92	70-130		
Thallium	1904	5.00	п	2000	< 2.50	95	70-130		
Lead	1016	1.00	п	1000	34.14	98	70-130		
Matrix Spike (150804	13-MS4)	Dilution Factor: 5	Source	: C150802-2	25	Prepa	red & Analyz	ed: 08/10/15	
Vanadium	272.8	15.0	ug/L	300	< 10.0	91	70-130		
Chromium	353.2	10.0	"	400	< 5.00	88	70-130		
Cobalt	179.5	1.00	я	200	< 0.500	90	70-130		
Nickel	443.2	5.00	я	500	< 2.50	89	70-130		
Copper	281.2	5.00	п	300	9.126	91	70-130		
Arsenic	747.4	10.0	н	800	2.678	93	70-130		
Selenium	1901	10.0	я	2000	< 5.00	95	70-130		
Molybdenum	381.1	5.00	я	400	< 5.00	95	70-130		
Silver	69.01	5.00	я	75.0	< 2.50	92	70-130		
Cadmium	190.0	1.00	я	200	< 0.500	95	70-130		
Antimony	760.2	5.00	sı	800	< 2.50	95	70-130		
Barium	225.0	50.0	н	200	43.27	91	70-130		
Thallium	1831	5.00	я	2000	11.93	91	70-130		
T I MITTER TO		1.00		2000	11.00	J 1	10 100		

Certificate of Analysis

TDF#: [none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508043 - 200	0.2 - TR Metals		Water					ICPI	VIS-PE DRC-II
Reference (1508043-S	SRM2)	Dilution Factor:	2			Prepa	red & Analyz	ed: 08/10/15	
Vanadium	914.3	60.0	ug/L	1000		91	85-115		
Chromium	919.2	40.0	я	1000		92	85-115		
Cobalt	940.3	4.00	я	1000		94	85-115		
Nickel	916.7	20.0	я	1000		92	85-115		
Copper	941.9	20.0	я	1000		94	85-115		
Arsenic	1942	40.0	я	2000		97	85-115		
Selenium	897.2	40.0	я	1000		90	85-115		
Molybdenum	958.8	20.0	н	1000		96	85-115		
Silver	235.5	20.0	п	250		94	85-115		
Cadmium	991.7	4.00	п	1000		99	85-115		
Antimony	1923	20.0	н	2000		96	85-115		
Barium	923.2	200	н	1000		92	85-115		
Thallium	4646	20.0	н	5000		93	85-115		
Lead	1889	4.00	п	2000		94	85-115		
Batch 1508046 - 200	0.2 - TR Metals		Water					ICPI	MS-PE DRC-II
Method Blank (15080	46-BLK2)	Dilution Factor:	5			Prepa	red & Analyz	ed: 08/10/15	
Vanadium	< 10.0	15.0	ug/L						
Chromium	< 5.00	10.0	n .						
Cobalt	< 0.500	1.00	я						
Nickel	< 2.50	5.00	я						
Copper	< 2.50	5.00	я						
Arsenic	< 2.50	10.0	я						
Selenium	< 5.00	10.0	я						
Molybdenum	< 5.00	5.00	я						
Silver	< 2.50	5.00	я						
Cadmium	< 0.500	1.00	я						
Antimony	< 2.50	5.00	я						
Barium	< 25.0	50.0	я						
Thallium	< 2.50	5.00	я						

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508046 - 200	0.2 - TR Metals	V	Vater					ICPN	IS-PE DRC-II
Duplicate (1508046-D	OUP2)	Dilution Factor: 5	Source	: C150802-4	10	Prepa	red & Analyz	red: 08/10/15	
Vanadium	< 10.0	15.0	ug/L		< 10.0				20
Chromium	< 5.00	10.0	și.		< 5.00				20
Cobalt	0.5506	1.00	și.		0.6074			10	20
Nickel	< 2.50	5.00	și.		< 2.50				20
Copper	16.22	5.00	я		15.81			3	20
Arsenic	3.860	10.0	я		< 2.50				20
Selenium	< 5.00	10.0	п		< 5.00				20
Molybdenum	< 5.00	5.00	н		< 5.00				20
Silver	< 2.50	5.00	п		< 2.50				20
Cadmium	< 0.500	1.00	"		< 0.500				20
Antimony	< 2.50	5.00	н		< 2.50				20
Barium	45.27	50.0	н		44.12			3	20
Thallium	< 2.50	5.00	п		< 2.50				20
Lead	38.59	1.00	н		37.64			2	20
Matrix Spike (150804	16-MS2)	Dilution Factor: 5	Source	: C150802-4	10	Prepa	red & Analyz	red: 08/10/15	
Vanadium	282.0	15.0	ug/L	300	< 10.0	94	70-130		
Chromium	361.1	10.0	"	400	< 5.00	90	70-130		
Cobalt	187.7	1.00	я	200	0.6074	94	70-130		
Nickel	455.1	5.00	<b>51</b>	500	< 2.50	91	70-130		
Copper	294.6	5.00	п	300	15.81	93	70-130		
Arsenic	756.4	10.0	я	800	< 2.50	95	70-130		
Selenium	1915	10.0	я	2000	< 5.00	96	70-130		
Molybdenum	385.1	5.00	я	400	< 5.00	96	70-130		
Silver	70.32	5.00	я	75.0	< 2.50	94	70-130		
Cadmium	194.4	1.00	я	200	< 0.500	97	70-130		
Antimony	760.6	5.00	я	800	< 2.50	95	70-130		
Barium	220.8	50.0	я	200	44.12	88	70-130		
Thallium	1810	5.00	я	2000	< 2.50	90	70-130		
Lead	973.2	1.00	я	1000	37.64	94	70-130		

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%D or RPD	%D or RPD Limit
3atch 1508046 - 20	0.2 - TR Metals	W	/ater					ICPM	S-PE DRC-I
Reference (1508046-	SRM2)	Dilution Factor: 2				Prepa	red & Analyz	ed: 08/10/15	
Vanadium	931.2	60.0	ug/L	1000		93	85-115		
Chromium	916.3	40.0	я	1000		92	85-115		
Cobalt	950.9	4.00	я	1000		95	85-115		
Nickel	930.5	20.0	я	1000		93	85-115		
Copper	934.2	20.0	я	1000		93	85-115		
Arsenic	1941	40.0	я	2000		97	85-115		
Selenium	961.8	40.0	я	1000		96	85-115		
Molybdenum	953.9	20.0	"	1000		95	85-115		
Silver	237.3	20.0	п	250		95	85-115		
Cadmium	963.7	4.00	п	1000		96	85-115		
Antimony	1901	20.0	**	2000		95	85-115		
Barium	916.4	200		1000		92	85-115		
Thallium	4568	20.0	п	5000		91	85-115		
Lead	1880	4.00	п	2000		94	85-115		
Batch 1508057 - 15	08046	W	ater					ICPM	S-PE DRC-I
Serial Dilution (1508	057-SRD1)	Dilution Factor: 2	Source	: C150802-2	2	Prepa	red & Analyz	ed: 08/10/15	
Vanadium	< 50.0	75.0	ug/L		< 10.00				10
Chromium	< 25.0	50.0			< 5.00				10
Cobalt	< 2.50	5.00	"		< 0.50				10
-									10
Nickel	< 12.5	25.0	н		< 2.50				10
	< 12.5 12.68	25.0 25.0	я		< 2.50 13.84			9	10
Copper					< 2.50 13.84 < 2.50			9	10
Copper Arsenic	12.68	25.0	я		13.84			9	
Copper Arsenic Selenium	12.68 < 12.5	25.0 50.0	я		13.84 < 2.50 < 5.00			9	10
Copper Arsenic Selenium Molybdenum	12.68 < 12.5 < 25.0	25.0 50.0 50.0	я я я		13.84 < 2.50 < 5.00 < 5.00			9	10 10
Copper Arsenic Selenium Molybdenum Silver	12.68 < 12.5 < 25.0 < 25.0	25.0 50.0 50.0 25.0	п п п		13.84 < 2.50 < 5.00			9	10 10 200
Copper Arsenic Selenium Molybdenum Silver Cadmium	12.68 < 12.5 < 25.0 < 25.0 < 12.5	25.0 50.0 50.0 25.0 25.0	п п п		13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.50			9	10 10 200 10
Copper Arsenic Selenium Molybdenum Silver Cadmium Antimony	12.68 < 12.5 < 25.0 < 25.0 < 12.5 < 2.50	25.0 50.0 50.0 25.0 25.0 5.00	n n n n		13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.50 < 2.50			9	10 10 200 10 10
Nickel Copper Arsenic Selenium Molybdenum Silver Cadmium Antimony Barium Thallium	12.68 < 12.5 < 25.0 < 25.0 < 12.5 < 2.50 < 12.5	25.0 50.0 50.0 25.0 25.0 5.00	n n n n		13.84 < 2.50 < 5.00 < 5.00 < 2.50 < 0.50			9	10 10 200 10 10

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508057 - 150	08046	V	Vater					ICPN	IS-PE DRC-I
Serial Dilution (15080	57-SRD2)	Dilution Factor: 2	Source	: C150802-4	0	Prepai	red & Analyz	ed: 08/10/15	
Vanadium	< 50.0	75.0	ug/L		< 10.00				10
Chromium	< 25.0	50.0	#		< 5.00				10
Cobalt	< 2.50	5.00	я		0.6074				10
Nickel	< 12.5	25.0	н		< 2.50				10
Copper	18.52	25.0	н		15.81			16	10
Arsenic	< 12.5	50.0	я		< 2.50				10
Selenium	< 25.0	50.0	"		< 5.00				10
Molybdenum	< 25.0	25.0	"		< 5.00				200
Silver	< 12.5	25.0	"		< 2.50				10
Cadmium	< 2.50	5.00	"		< 0.50				10
Antimony	< 12.5	25.0	я		< 2.50				10
Barium	< 125	250	н		44.12				10
Thallium	< 12.5	25.0	"		< 2.50				10
Lead	35.25	5.00	н		37.64			7	10
ICPOE - PE Optima	a								
Batch 1508043 - 200	0.2 - TR Metals	V	Vater					ICPO	E - PE Optima
Method Blank (15080	43-BLK1)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15	
Aluminum	< 20.0	50.0	ug/L						
Beryllium	< 2.00	5.00	"						
Calcium	< 100	250	н						
Iron	< 100	250	п						
Potassium	< 250	1000	#						
Magnesium	< 100	250	я						
Manganese	< 2.00	5.00	**						
Sodium	< 250	1000	**						
Zinc	< 10.0	20.0	н						

[none]

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit
Batch 1508043 - 20	00.2 - TR Metals	V	Vater					ICPO	E - PE Optim
Duplicate (1508043-I	DUP1)	Dilution Factor: 1	Source	: C150802-2	2	Prepa	red & Analyz	red: 08/10/15	
Aluminum	888.5	50.0	ug/L		810.6			9	20
Beryllium	< 2.00	5.00	я		< 2.00				20
Calcium	54460	250	я		55210			1	20
Iron	3096	250	я		2925			6	20
Potassium	2217	1000	я		2255			2	20
Magnesium	7739	250	**		7940			3	20
Manganese	163.9	5.00	п		150.6			8	20
Sodium	10760	1000	"		10870			0.9	20
Zinc	94.79	20.0	п		91.53			3	20
Matrix Spike (1508043-MS1)		Dilution Factor: 1	Source: C150802-22		Prepa	red & Analyz	red: 08/10/15		
Aluminum	2967	50.0	ug/L	2000	810.6	108	70-130		
Beryllium	203.4	5.00	п	200	< 2.00	102	70-130		
Calcium	55820	250	н	1000	55210	61	70-130		
Iron	6180	250	н	3000	2925	108	70-130		
Potassium	12240	1000	н	10000	2255	100	70-130		
Magnesium	9855	250	н	2000	7940	96	70-130		
Manganese	359.2	5.00	я	200	150.6	104	70-130		
Sodium	13720	1000	я	3000	10870	95	70-130		
Zinc	294.0	20.0	я	200	91.53	101	70-130		
Matrix Spike (15080	43-MS3)	Dilution Factor: 1	Source	: C150802-2	5	Prepa	red & Analyz	red: 08/10/15	
Aluminum	2507	50.0	ug/L	2000	496.7	101	70-130		
Beryllium	202.2	5.00	<b>51</b>	200	< 2.00	101	70-130		
Calcium	52110	250	<b>51</b>	1000	51600	51	70-130		
Iron	4508	250	Ħ	3000	1409	103	70-130		
Potassium	11740	1000	<b>51</b>	10000	1938	98	70-130		
Magnesium	9330	250	я	2000	7363	98	70-130		
Manganese	321.0	5.00	я	200	120.8	100	70-130		
Sodium	12750	1000	я	3000	9933	94	70-130		
Zinc	267.6	20.0	я	200	66.75	100	70-130		

[none]

		ICOILAV	v, 1110 L						
Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%Dor RPD Limit
Batch 1508043 - 20	00.2 - TR Metals	V	Vater					ICPO	E - PE Optim
Reference (1508043-	SRM1)	Dilution Factor: 1				Prepa	red & Analyz	zed: 08/10/15	
Aluminum	1027	50.0	ug/L	1000		103	85-115		
Beryllium	1007	5.00	"	1000		101	85-115		
Calcium	1002	250	я	1000		100	85-115		
ron	1009	250	н	1000		101	85-115		
Potassium	5097	1000	н	5000		102	85-115		
Magnesium	1007	250	н	1000		101	85-115		
Manganese	1030	5.00		1000		103	85-115		
Sodium	1039	1000	н	1000		104	85-115		
Zinc	1032	20.0	"	1000		103	85-115		
Batch 1508046 - 20	00.2 - TR Metals	ν	Vater					ICPO	E - PE Optim
Method Blank (1508	8046-BLK1)	Dilution Factor: 1				Prepa	red & Analyz	zed: 08/10/15	
Aluminum	< 20.0	50.0	/1						
Beryllium	< 2.00	5.00	ug/L "						
Calcium	< 100	250	п						
ron	< 100	250	я						
Potassium	< 250	1000	я						
Magnesium	< 100	250	я						
Manganese	< 2.00	5.00	я						
Sodium	< 250	1000	"						
Zinc	< 10.0	20.0	"						
Duplicate (1508046-	DUP1)	Dilution Factor: 1	Source	e: C150802-4	10	Prepa	red & Analyz	zed: 08/10/15	
Aluminum	876.7	50.0	ug/L		803.4			9	20
Beryllium	< 2.00	5.00	ug/L		< 2.00			3	20
Calcium	52100	250	я		50060			4	20
ron	3024	250	я		2916			4	20
Potassium	2097	1000	я		1989			5	20
Magnesium	7278	250	я		6954			5	20
Manganese	183.6	5.00	я		186.1			1	20
Sodium	10190	1000	п		9693			5	20
Zinc	120.6	20.0	п		124.4			3	20
_1110					127.7			5	20

[none]

Analyte	Result	Det. Limit	Units	Spike	Source	%R	%R	%Dor	%D or RPD Limit		
,				Level	Result	% K	Limits	RPD			
Batch 1508046 - 20	00.2 - TR Metals	<u> </u>	Vater					ICPO	E - PE Optima		
Matrix Spike (15080	46-MS1)	Dilution Factor: 1	Source	: C150802-4	10	Prepa	red & Analyz	red: 08/10/15			
Aluminum	2957	50.0	ug/L	2000	803.4	108	70-130				
Beryllium	197.0	5.00	я	200	< 2.00	99	70-130				
Calcium	53820	250	я	1000	50060	377	70-130				
Iron	6181	250	<b>11</b>	3000	2916	109	70-130				
Potassium	12130	1000	#1	10000	1989	101	70-130				
Magnesium	9486	250	#1	2000	6954	127	70-130				
Manganese	382.6	5.00	Ħ	200	186.1	98	70-130				
Sodium	13320	1000	"	3000	9693	121	70-130				
Zinc	313.2	20.0	н	200	124.4	94	70-130				
Reference (1508046-	SRM1)	Dilution Factor: 1				Prepared & Analyzed: 08/10/15					
Aluminum	1004	50.0	ug/L	1000		100	85-115				
Beryllium	987.6	5.00	ug/ _	1000		99	85-115				
Calcium	976.9	250	п	1000		98	85-115				
ron	987.5	250	п	1000		99	85-115				
Potassium	4914	1000	п	5000		98	85-115				
Magnesium	982.9	250	н	1000		98	85-115				
Manganese	1015	5.00	я	1000		101	85-115				
Sodium	995.4	1000	<b>9</b> 1	1000		100	85-115				
Zinc	1016	20.0	я	1000		102	85-115				
Batch 1508056 - 15	608046	V	Vater					ICPO	E - PE Optim		
Serial Dilution (1508	056-SRD1)	Dilution Factor: 5	Source	: C150802-2	22	Prepa	red & Analyz	zed: 08/10/15			
Aluminum	849.0	250	ug/L		810.6			5	10		
Beryllium	< 10.0	25.0	"		< 2.00			-	10		
Calcium	53600	1250	я		55210			3	10		
ron	2852	1250	я		2925			3	10		
Potassium	2501	5000	я		2255			10	10		
Magnesium	7741	1250	я		7940			3	10		
Manganese	155.0	25.0	я		150.6			3	10		
Sodium	10630	5000	н		10870			2	10		
Zinc	99.46	100	я		91.53			8	10		

[none]

## Metals (Total Recov) by EPA 200/7000 Series Methods - Quality Control TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%D or RPD	%D or RPD Limit
Batch 1508056 - 15	508046	V	/ater					ICPO	E - PE Optima
Serial Dilution (1508	8056-SRD2)	Dilution Factor: 5	Dilution Factor: 5 Source: C150802-40						
Aluminum	836.9	250	ug/L		803.4			4	10
Beryllium	< 10.0	25.0	я		< 2.00				10
Calcium	51120	1250	я		50060			2	10
Iron	3069	1250	я		2916			5	10
Potassium	2268	5000	я		1989			13	10
Magnesium	7174	1250	я		6954			3	10
Manganese	182.0	25.0	я		186.1			2	10
Sodium	10040	5000	н		9693			4	10
Zinc	130.0	100	н		124.4			4	10

NOTE:

RPD = Relative Percent Difference, %D = % Difference, DL = Detection Limit for QC sample

<sup>%</sup>R = % Recovery, %R limits do not apply when sample levels exceed 4x the spike level.

[none]

Certificate of Analysis

TDF#:

#### Mercury only (Total) by EPA 245.1 / 7470A Method - Quality Control

#### TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	% D or RPD	%D or RPD Limit		
CVAA FIMS - PE											
Batch 1508045 - El	PA 245.1/245.2 Prep	<u>l</u>	Vater					cv	AA FIMS - PE		
Method Blank (1508	8045-BLK1)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15			
Mercury	< 0.0500	0.100	ug/L								
Method Blank (1508	8045-BLK2)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15			
Mercury	< 0.0500	0.100	ug/L								
Method Blank Spike	e (1508045-BS1)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15			
Mercury	7.36	0.100	ug/L	7.50		98	85-115				
Method Blank Spike	e (1508045-BS2)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15			
Mercury	7.55	0.100	ug/L	7.50		101	85-115				
Duplicate (1508045-	DUP1)	Dilution Factor: 1	Source	Source: C150802-01			Prepared & Analyzed: 08/10/15				
Mercury	0.157	0.100	ug/L		0.149			5	20		
Duplicate (1508045-	DUP2)	Dilution Factor: 1	Source	: C150802-6	<b>31</b>	Prepai	red & Analyz	ed: 08/10/15			
Mercury	< 0.0500	0.100	ug/L		< 0.0500				20		
Matrix Spike (15080	045-MS1)	Dilution Factor: 1	Source	: C150802-0	01	Prepai	red & Analyz	ed: 08/10/15			
Mercury	2.78	0.100	ug/L	7.50	0.149	35	75-125				
Matrix Spike (15080	045-MS2)	Dilution Factor: 1	Source	: C150802-3	31	Prepai	red & Analyz	ed: 08/10/15			
Mercury	7.44	0.100	ug/L	7.50	< 0.0500	99	75-125				
Matrix Spike (15080	045-MS3)	Dilution Factor: 1	Source	: C150802-6	61	Prepai	red & Analyz	ed: 08/10/15			
Mercury	7.90	0.100	ug/L	7.50	< 0.0500	105	75-125				
Batch 1508050 - 15	508045	<u> </u>	Vater					cv	AA FIMS - PE		
Instrument Blank (1	1508050-IBL1)	Dilution Factor: 1				Prepai	red & Analyz	ed: 08/10/15			
Mercury	< 0.0500	0.100	ug/L								

NOTE:

%R = % Recovery, %R limits do not apply when sample levels exceed 4x the spike level. RPD = Relative Percent Difference, %D = % Difference, DL = Detection Limit for QC sample

Certificate of Analysis

TDF#: [none]

## Classical Chemistry by EPA/ASTM/APHA Methods - Quality Control TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limit
Mettler AT									
Batch 1508047 - No Pre	ep Req		Water						Mettler AT
Method Blank (1508047-E	BLK1)	Dilution Factor: 1				Prepa	red & Analyz	zed: 08/10/15	
Total Alkalinity	< 5.00	10.0	mg CaCO3 / L						
Duplicate (1508047-DUP1	1)	Dilution Factor: 1	Source:	C150802-6	6	Prepa	red & Analyz	zed: 08/10/15	
Total Alkalinity	76.9	10.0	mg CaCO3 /		76.7			0.2	20
Reference (1508047-SRM	11)	Dilution Factor: 1				Prepa			
Total Alkalinity	76.9	10.0	mg CaCO3 / L	78.1		99	69.3-86.9		
None - Gravimetric									
Batch 1508040 - No Pre	ep Req		Water					None - G	ravimetric
Method Blank (1508040-E	BLK1)	Dilution Factor: 1				Prepared: 08/10/15 Analyzed: 08/			5
Total Suspended Solids	< 10	10	mg/L						
Method Blank (1508040-E	BLK2)	Dilution Factor: 1				Prepa	red: 08/10/15	5 Analyzed: 08/11/1	5
Total Suspended Solids	< 10	10	mg/L						
Method Blank (1508040-E	BLK3)	Dilution Factor: 1				Prepa	red: 08/10/15	5 Analyzed: 08/11/1	15
Total Suspended Solids	< 10	10	mg/L						
Duplicate (1508040-DUP1	1)	Dilution Factor: 1	Source:	C150802-0	3	Prepa	red: 08/10/15	5 Analyzed: 08/11/1	15
Total Suspended Solids	612	10	mg/L		612			0	20
Duplicate (1508040-DUP2	2)	Dilution Factor: 1	Source:	C150802-3	3	Prepa	red: 08/10/15	5 Analyzed: 08/11/1	5
Total Suspended Solids	< 10	10	mg/L		< 10				20
Duplicate (1508040-DUP	3)	Dilution Factor: 1	Source:	C150802-6	3	Prepa	red: 08/10/15	5 Analyzed: 08/11/1	5
Total Suspended Solids	< 10	10	mg/L		< 10				20

[none]

## Classical Chemistry by EPA/ASTM/APHA Methods - Quality Control TechLaw, Inc. - ESAT Region 8

Analyte	Result	Det. Limit	Units	Spike Level	Source Result	%R	%R Limits	%Dor RPD	%D or RPD Limit
Batch 1508040 - No Prep	Req		Water					None	- Gravimetric
Reference (1508040-SRM1	)	Dilution Factor: 1				Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Suspended Solids	132	10	mg/L	150		88	75-125		
Batch 1508044 - No Prep	Req		Water					None	- Gravimetric
Method Blank (1508044-B	LK1)	Dilution Factor: 1				Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	< 10	10	mg/L						
Method Blank (1508044-B	LK2)	Dilution Factor: 1				Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	< 10	10	mg/L						
Method Blank (1508044-BLK3)		Dilution Factor: 1				Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	< 10	10	mg/L						
Duplicate (1508044-DUP1)	ı	Dilution Factor: 1	Source:	C150802-0	)3	Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	316	10	mg/L		310			2	20
Duplicate (1508044-DUP2)	ı	Dilution Factor: 1	Source:	C150802-3	33	Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	166	10	mg/L		160			4	20
Duplicate (1508044-DUP3)	ı	Dilution Factor: 1	Source:	C150802-6	33	Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	160	10	mg/L		156			3	20
Reference (1508044-SRM1	)	Dilution Factor: 1				Prepai	red: 08/10/15	Analyzed: 08/	11/15
Total Dissolved Solids	4390	10	mg/L	4500		98	75-125		

NOTE:

%R = % Recovery, %R limits do not apply when sample levels exceed 4x the spike level. RPD = Relative Percent Difference, %D = % Difference, DL = Detection Limit for QC sample

TechLaw Inc., ESAT Region 8
INORGANIC ANALYSES DATA SHEET
Intial and Continuing Calibration Blanks

Analytical Method: <u>EPA 310.1</u> Analysis Name: <u>WC - Alkalinity</u>

Instrument: Mettler AT Work Order. Nu C150802

Analytical Sequence: Total Concentration Units: mg CaCO3 / L

Analyte	Initial Calibration Blank (1 & 2)	C	Continuing Cal	ibration Blank	ks	Metho Blan (Batch	k	PQL
		1	2	3	4	1508047-BLK1	NA	
		0.19						40.00
Total Alkalinity		5	6	7	8	0.00	NA	10.00

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Diss. Metals

Instrument: ICPOE - PE Optima Work Order. Nu C150802

Analytical Sequence: 1508049 **Dissolved** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	C	Continuing Cali	bration Blank	s	Method Blank (Batch II		PQL
		1	2	3	4	1508041-BLK1	NA	
	2.95	-1.25	2.33	2.73	0.59			1
Aluminum		5	6	7	8	-1.91	NA	50.00
	0.05	1	2	3	4	1508038-BLK1	NA	
	2.95	-1.25	2.33	2.73	0.59	]	A : A	50.00
		5	6	7	8	5.04	NA	50.00
	0.11	1	2	3	4	1508038-BLK1	NA	4
Dom Williams	0.11	0.08	0.05	0.07	0.09	]	NΙΛ	5.00
Beryllium		5	6	7	8	0.00	NA	5.00
	0.11	1	2	3	4	1508041-BLK1	NA	4
	0.11	0.08	0.05	0.07	0.09	-0.02	NA	5.00
		5	6	7	8	-0.02	11/	3.00
	0.12	1	2	3	4	1508038-BLK1	NA	4
Calcium	0.12	1.47	1.53	-0.35	-1.12	8.39	NA	250.00
Galorani		5	6	7 8	8 8.39	-		200.00
		1	2	3	4	1508041-BLK1	NA	
	0.12							†
		1.47 <b>5</b>	1.53 <b>6</b>	-0.35 <b>7</b>	-1.12 <b>8</b>	-6.96	NA	250.00
			Ů	,		1		
		1	2	3	4	1508038-BLK1	NA	
	-4.48	44.06	19.75	30.69	25.15			1
Iron		5	6	7	8	44.17	NA	250.00
		1	2	3	4	1508041-BLK1	NA	
	-4.48	44.06	19.75	30.69	25.15			
		5	6	7	8	6.04	NA 2	250.00

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Diss. Metals

Instrument: ICPOE - PE Optima Work Order: Nu C150802

Analytical Sequence: 1508049 **Dissolved** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Calibration Blanks  Method  Blank  PQL  (Batch ID)		Blank			
		1	2	3	4	1508038-BLK1	NA	
	36.93	39.32	31.56	50.93	42.84			T
Potassium		5	6	7	8	38.79	NA	1,000.00
	36.93	1	2	3	4	1508041-BLK1	NA	_
	36.93	39.32	31.56	50.93	42.84		NΙΛ	1,000.00
		5	6	7	8	22.84	NA	1,000.00
	0.85	1	2	3	4	1508041-BLK1	NA	4
Magnesium	0.03	3.21	2.69	2.56	1.94	-0.55	NA	250.00
iviagi esturri		5	6	7	8	-0.55	IVA	250.00
		1	2	3		1508038-BLK1	NA	
	0.85				4	1300030-BERT	INA	+
		3.21	2.69	2.56	1.94	7.91	NA	250.00
		5	6	7	8	1		
		1	2	3	4	1508038-BLK1	NA	
	0.11	0.14	0.11	0.10	0.12			
Manganese		5	6	7	8	-0.05	NA	5.00
	0.11	1	2	3	4	1508041-BLK1	NA	_
	0.11	0.14	0.11	0.10	0.12	]	NΙΛ	5.00
		5	6	7	8	-0.04	NA	5.00
	4.73	1	2	3	4	1508038-BLK1	NA	4
Sodium	4.70	5.60	6.85	7.81	6.52	5.87	NA	1,000.00
Sociani		5	6	7	8	• J.O	147.	1,000.00
		1	2	3	4	1508041-BLK1	NA	
	4.73	5.60	6.85	7.81	6.52			
		5	6	7	8	4.00	NA	1,000.00
						]		

TechLaw Inc., ESAT Region 8
INORGANIC ANALYSES DATA SHEET
Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Diss. Metals

Instrument: ICPOE - PE Optima Work Order: Nu C150802

Analytical Sequence: 1508049 **Dissolved** Concentration Units: <u>ug/L</u>

1.35	1 0.53	<b>2</b> 0.52	3	4	1508041-BLK1	NA	
1.35	0.53	0.52	1 06				
			1.96	1.98	0.00		20.00
Zinc	5	6	7	8	0.62	NA	
	1	2	3	4	1508038-BLK1	NA	
1.35	0.53	0.52	1.96	1.98	0.47	21.0	90.00
	5	6	7	8	-0.47	NA	20.00
	1.35	0.53	1.35 0.53 0.52	1.35 0.53 0.52 1.96	1.35 0.53 0.52 1.96 1.98	1.35 0.53 0.52 1.96 1.98	1.35 0.53 0.52 1.96 1.98 -0.47 NA

TechLaw Inc., ESAT Region 8
INORGANIC ANALYSES DATA SHEET
Intial and Continuing Calibration Blanks

Analytical Method: 245.1 Analysis Name: TM Mercury 245.1

Instrument: CVAA FIMS - PE Work Order: Nu C150802

Analytical Sequence: 1508050 **Total** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	Method Continuing Calibration Blanks Blank (Batch ID)					PQL	
		1	2	3	4	NA	1508045-BLK2	1
	0.00	0.00	0.00	0.01	0.01		0.00	0.40
Mercury		5	6	7	8	NA	0.00	0.10
		1	2	3	4	1508045-BLK1	NA	
	0.00	0.00	0.00	0.01	0.01		N: A	0.10
		5	6	7	8	0.00	NA	0.10

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Diss. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508051 **Dissolved** Concentration Units: <u>ug/L</u>

Initial Calibration Blank (1 & 2)	C	Continuing Cal	ibration Blank	Method Blank (Batch ID		PQL	
	1	2	3	4	1508039-BLK1	NA	
-0.18	-0.08	0.01	-0.05	0.01			
	5	6	7	8	-0.07	NA	3.00
0.40	1	2	3	4	1508042-BLK1	NA	
-0.18	-0.08	0.01	-0.05	0.01	]	A 1 A	2.00
	5	6	7	8	-0.17	NA	3.00
-0.20	1	2	3	4	1508042-BLK1	NA	4
-0.20	-0.12	-0.18	-0.19	-0.19	0.16	NΛ	2.00
	5	6	7	8	-0.10	INV	2.00
					4500000 PL 144		
-0.20					1508039-BLK1	NA	4
<u> </u>					-0.23	NA	2.00
	5	6	7	8	<del> </del>		
	1	2	3	<u> </u>	1508039-BLK1	NA	
0.03	0.02	0.03	0.03				
					-0.01	NA	0.20
					1		
	1	2	3	4	1508042-BLK1	NA	
0.03	0.02	0.03	0.03	0.02			
	5	6	7	8	-0.02	NA	0.20
0.00	1	2	3	4	1508039-BLK1	NA	
0.06	0.04	0.04	0.03	0.03	]		4.00
Nickel	5	6	7	8	-0.03	NA	1.00
0.06	1	2	3	4	1508042-BLK1	NA	4
0.00	0.04	0.04	0.03	0.03	] 003	NΛ	1.00
	5	6	7	8	-0.03	INA	1.00
	-0.18 -0.20	Calibration Blank (1 & 2)     1       -0.18     1       -0.08     5       -0.18     1       -0.08     5       -0.08     5       -0.20     1       -0.12     5       -0.12     5       -0.12     5       -0.03     1       0.03     0.02       5     1       0.02     5       -0.06     1       0.04     5       0.06     1       0.04     5	Calibration Blank (1 & 2)         Continuing Cal           -0.18         1         2           -0.08         0.01         5         6           -0.18         1         2         -0.08         0.01         5         6           -0.20         1         2         -0.18         5         6         6           -0.20         1         2         -0.18         5         6         6           -0.20         1         2         -0.18         5         6         6           0.03         5         6 <td< td=""><td>Calibration Blank (1 &amp; 2)         Continuing Calibration Blank           -0.18         1         2         3           -0.08         0.01         -0.05         5           5         6         7           -0.18         -0.08         0.01         -0.05           5         6         7           -0.20         -0.12         -0.18         -0.19           5         6         7           -0.20         1         2         3           -0.12         -0.18         -0.19           5         6         7           0.03         0.03         0.03           5         6         7           0.03         0.03         0.03           5         6         7           0.04         0.04         0.04           0.06         0.04         0.04         0.03           5         6         7           0.06         0.04         0.04         0.03</td><td>Calibration Blank (1 &amp; 2)         Continuing Calibration Blanks           -0.18         1         2         3         4           -0.08         0.01         -0.05         0.01         -0.05         0.01           5         6         7         8           -0.18         -0.08         0.01         -0.05         0.01           5         6         7         8           -0.20         1         2         3         4           -0.20         -0.12         -0.18         -0.19         -0.19           5         6         7         8           -0.20         1         2         3         4           -0.20         -0.12         -0.18         -0.19         -0.19           -0.12         -0.18         -0.19         -0.19         -0.19           5         6         7         8           0.03         0.03         0.03         0.02           5         6         7         8           0.03         0.03         0.03         0.02           5         6         7         8           0.06         0.04         0.04         0.03</td><td>Calibration Blank (1 &amp; 2)         Continuing Calibration Blanks         Blank (8atch ID Blank (Batch ID Blank))           -0.18         1         2         3         4         1508039-BLK1           -0.08         0.01         -0.05         0.01         -0.07           -0.18         1         2         3         4         1508042-BLK1           -0.18         -0.08         0.01         -0.05         0.01         -0.17           5         6         7         8         -0.17           -0.20         1         2         3         4         1508042-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         -0.12         -0.18         -0.19         -0.19         -0.23           0.03         1         2         3         4         1508039-BLK1           0.03         0.03         0.03         0.02         -0.01           0.04         0.04         0.03         0.03         -0.02</td><td>  Calibration Blank (1 &amp; 2)</td></td<>	Calibration Blank (1 & 2)         Continuing Calibration Blank           -0.18         1         2         3           -0.08         0.01         -0.05         5           5         6         7           -0.18         -0.08         0.01         -0.05           5         6         7           -0.20         -0.12         -0.18         -0.19           5         6         7           -0.20         1         2         3           -0.12         -0.18         -0.19           5         6         7           0.03         0.03         0.03           5         6         7           0.03         0.03         0.03           5         6         7           0.04         0.04         0.04           0.06         0.04         0.04         0.03           5         6         7           0.06         0.04         0.04         0.03	Calibration Blank (1 & 2)         Continuing Calibration Blanks           -0.18         1         2         3         4           -0.08         0.01         -0.05         0.01         -0.05         0.01           5         6         7         8           -0.18         -0.08         0.01         -0.05         0.01           5         6         7         8           -0.20         1         2         3         4           -0.20         -0.12         -0.18         -0.19         -0.19           5         6         7         8           -0.20         1         2         3         4           -0.20         -0.12         -0.18         -0.19         -0.19           -0.12         -0.18         -0.19         -0.19         -0.19           5         6         7         8           0.03         0.03         0.03         0.02           5         6         7         8           0.03         0.03         0.03         0.02           5         6         7         8           0.06         0.04         0.04         0.03	Calibration Blank (1 & 2)         Continuing Calibration Blanks         Blank (8atch ID Blank (Batch ID Blank))           -0.18         1         2         3         4         1508039-BLK1           -0.08         0.01         -0.05         0.01         -0.07           -0.18         1         2         3         4         1508042-BLK1           -0.18         -0.08         0.01         -0.05         0.01         -0.17           5         6         7         8         -0.17           -0.20         1         2         3         4         1508042-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         1         2         3         4         1508039-BLK1           -0.20         -0.12         -0.18         -0.19         -0.19         -0.23           0.03         1         2         3         4         1508039-BLK1           0.03         0.03         0.03         0.02         -0.01           0.04         0.04         0.03         0.03         -0.02	Calibration Blank (1 & 2)

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Diss. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508051 **Dissolved** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cal	ibration Blank	s	Blank	Method Blank (Batch ID)	
		1	2	3	4	1508039-BLK1	NA	
	0.00	0.06	0.02	0.04	-0.03			T
Copper		5	6	7	8	-0.13	NA	1.00
	0.00	1	2	3	4	1508042-BLK1	NA	
	0.00	0.06	0.02	0.04	-0.03	-0.12	NA	1.00
		5	6	7	8	-0.12	11/	1.00
		1	2	3	4	1508042-BLK1	NA	
	-0.08	-0.01	0.07	-0.05	0.14	.5555.2.22.11		†
Arsenic		-0.01 <b>5</b>	6	-0.05 <b>7</b>	8	-0.08	NA	2.00
				,		<b>-</b>		
		1	2	3	4	1508039-BLK1	NA	
	-0.08	-0.01	0.07	-0.05	0.14			
		5	6	7	8	0.04	NA	2.00
	-0.25	1	2	3	4	1508042-BLK1	NA	<b>↓</b>
O-l-mi	-0.25	-0.02	0.00	-0.17	-0.01	-0.02	NA	2.00
Selenium		5	6	7	8	-0.02	INA	2.00
		1	2	3	4	1508039-BLK1	NA	
	-0.25	-0.02	0.00	-0.17	-0.01			†
		5	6	-0.17 7	8	-0.31	NA	2.00
		Ĭ		·	Ť	1		
		1	2	3	4	1508042-BLK1	NA	
	0.05	0.05	0.04	0.05	0.05	]	21.4	4.00
Molybdenum		5	6	7	8	-0.01	NA	1.00
		1	2	3	4	1508039-BLK1	NA	
	0.05	0.05	0.04	0.05	0.05			†
		5	6	7	8	0.08	NA	1.00
			1			<b>1</b>		

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Diss. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508051 **Dissolved** Concentration Units: ug/L

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cali	bration Blank	s	Blank	(Batch ID)					
		1	2	3	4	1508039-BLK1	NA					
	0.02	0.02	0.02	0.01	0.02			Ī				
Silver		5	6	7	8	0.00	NA	1.00				
	0.02	1	2	3	4	1508042-BLK1	NA	4				
	0.02	0.02	0.02	0.01	0.02	-0.01	NA	1.00				
		5	6	7	8	<b>-</b>						
		1	2	3	4	1508039-BLK1	NA					
	-0.01	-0.01	0.03	0.02	0.02			1				
Cadmium		5	6	7	8	-0.02	NA	0.20				
	-0.01	1	2	3	4	1508042-BLK1	NA					
	-0.01	-0.01	0.03	0.02	0.02	-0.03	NA	0.20				
		5	6	7	8	-0.03	IVA	0.20				
		1	2	3	4	1508039-BLK1	NA					
	0.10	0.21	0.20	0.20	0.18							
Antimony		5	6	7	8	0.09	NA	1.00				
	0.10	1	2	3	4	1508042-BLK1	NA	4				
	0.10	0.21	0.20	0.20	0.18	0.06	NA	1.00				
		5	6	7	8	0.00		1.00				
		1	2	3	4	1508042-BLK1	NA					
	0.02	0.06	0.06	0.04	0.03							
Barium		5	6	7	8	-0.02	NA	10.00				
		1	2	3	4	1508039-BLK1	NA					
	0.02		0.06	0.04				†				
		0.06 <b>5</b>	6	7	0.03 <b>8</b>	-0.03	NA	10.00				
				·	<u> </u>	1						

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Diss. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508051 **Dissolved** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cal	ibration Blank	Blani	Method Blank (Batch ID)		
		1	2	3	4	1508039-BLK1	NA	
	0.02	0.01	0.01	-0.01	-0.02			
Thallium		5	6	7	8	-0.05	NA	1.00
	0.00	1	2	3	4	1508042-BLK1	NA	1.00
	0.02	0.01	0.01	-0.01	-0.02		NA	
		5	6	7	8	-0.07		1.00
		1	2	3	4	1508042-BLK1	NA	
	0.00	-0.01	-0.01	-0.02	-0.02			
Lead		5	6	7	8	-0.05	NA	0.20
		1	2	3	4	1508039-BLK1	NA	
	0.00	-0.01	-0.01	-0.02	-0.02			
		5	6	7	8	-0.03	NA	0.20

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Tot. Rec. Metals

Instrument: ICPOE - PE Optima Work Order: Nu C150802

Analytical Sequence: 1508056 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cal	ibration Blank	s	Method Blank (Batch II		PQL
		1	2	3	4	1508046-BLK1	NA	
	4.24	3.98	1.11	-0.96	3.56			T
Aluminum		5	6	7	8	-1.35	NA	50.00
	4.24	1	2	3	4	1508043-BLK1	NA	4
	4.24	3.98	1.11	-0.96	3.56	-4.16	NA	50.00
		5	6	7	8	-4.10	INO.	30.00
		1	2	3	4	1508043-BLK1	NA	
	0.09					reced to BERT	747.	†
Beryllium		0.08 <b>5</b>	0.02 <b>6</b>	0.04 <b>7</b>	0.06 <b>8</b>	-0.08	NA	5.00
				,	0			
		1	2	3	4	1508046-BLK1	NA	
	0.09	0.08	0.02	0.04	0.06			Ī
	_	5	6	7	8	-0.03	NA	5.00
		1	2	3	4	1508046-BLK1	NA	
	1.61	2.27	2.47	-0.14	-1.07		A : A	050.00
Calcium		5	6	7	8	3.53	NA	250.00
		1	2	3	4	1508043-BLK1	NA	
	1.61	2.27	2.47	-0.14	-			†
		5	6	-0.14 7	-1.07 <b>8</b>	13.24	NA	250.00
		·		·		1		
		1	2	3	4	1508043-BLK1	NA	
	-13.06	5.49	-8.25	-7.04	7.90			050.00
Iron		5	6	7	8	-2.54	NA	250.00
						4500040 51 274	h: A	
	-13.06	1	2	3	4	1508046-BLK1	NA	+
		5.49	-8.25	-7.04	7.90	-13.03	NA	250.00
		5	6	7	8	1		250.00

Certificate of Analysis

TDF#: [none]

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Tot. Rec. Metals

Instrument: ICPOE - PE Optima Work Order. Nu C150802

Analytical Sequence: 1508056 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cal	bration Blank	s	Methoo Blank (Batch II		PQL
		1	2	3	4	1508043-BLK1	NA	
	56.93	89.06	80.67	76.96	65.41			7
Potassium		5	6	7	8	121.00	NA	1,000.00
	50.00	1	2	3	4	1508046-BLK1	NA	
	56.93	89.06	80.67	76.96	65.41			4 000 00
		5	6	7	8	66.24	NA	1,000.00
	0.00	1	2	3	4	1508043-BLK1	NA	
	0.68	2.53	1.51	1.86	1.23	]	214	050.00
Magnesium		5	6	7	8	2.26	NA	250.00
	0.68	1	2	3	4	1508046-BLK1	NA	
	0.00	2.53	1.51	1.86	1.23		NI A	250.00
		5	6	7	8	-4.85	NA	250.00
	0.10	1	2	3	4	1508046-BLK1	NA	<b>↓</b>
	0.10	0.06	0.07	-0.03	-0.06	]	NA	5.00
Manganese		5	6	7	8	-0.04	INA	5.00
	0.10	1	2	3	4	1508043-BLK1	NA	4
	0.10	0.06	0.07	-0.03	-0.06	-0.09	NA	5.00
		5	6	7	8	-0.09	NO.	3.00
	1.40	1	2	3	4	1508043-BLK1	NA	4
Sodium	1.10	6.38	3.89	8.77	12.23	31.94	NA	1,000.00
Socium		5	6	7	8	01.04	14,74	1,000.00
	1.40		_			1509046 DL 1/4	K: A	
		1	2	3	4	1508046-BLK1	NA	+
		6.38	3.89	8.77	12.23	20.15	NA	1,000.00
		5	6	7	8	4		

TechLaw Inc., ESAT Region 8
INORGANIC ANALYSES DATA SHEET
Intial and Continuing Calibration Blanks

Analytical Method: 200.7 Analysis Name: ICPOE Tot. Rec. Metals

Instrument: ICPOE - PE Optima Work Order: Nu C150802

Analytical Sequence: 1508056 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cal	ibration Blank	ĸs	Metho Blan (Batch	k	PQL
		1	2	3	4	1508043-BLK1	NA	
	0.25	1.35	1.08	0.66	1.28			
Zinc		5	6	7	8	2.30	NA	20.00
	0.05	1	2	3	4	1508046-BLK1	NA	
	0.25	1.35	1.08	0.66	1.28			00.00
		5 6 7 8		2.42	NA	20.00		

Certificate of Analysis

TDF#: [none]

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508057 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cali	ibration Blank	s	В	ethod lank ch ID)	PQL
		1	2	3	4	NA	1508046-BLK2	
	0.06	0.04	0.00	0.04	0.01			
Vanadium		5	6	7	8	NA	0.31	3.00
	0.06	1	2	3	4	NA	1508043-BLK2	
	0.00	0.04	0.00	0.04	0.01	NA	0.12	3.00
		5	6	7	8	INA	0.12	0.00
		1	2	3	4	NA	1508046-BLK2	
	-0.17	-0.27	-0.27	-0.22	-0.22			
Chromium		5	6	7	8	NA	-0.01	2.00
		1	2	3	4	NA	1508043-BLK2	
	-0.17	-0.27	-0.27	-0.22	-0.22			
		5	6	7	8	NA	0.01	2.00
	0.01	1	2	3	4	NA	1508046-BLK2	
Cobalt	0.01	0.01	0.01	0.02	0.03	NA	-0.01	0.20
CODER		5	6	7	8	11/7	0.01	0.20
		1	2	3	4	NA	1508043-BLK2	
	0.01	0.01	0.01	0.02	0.03			
		5	6	7	8	NA	0.02	0.20
	0.01	1	2	3	4	NA	1508043-BLK2	
N.CII	0.01	-0.01	0.01	0.04	0.06	A I A	0.03	1.00
Nickel		5	6	7	8	NA	0.03	1.00
	0.01	1	2	3	4	NA	1508046-BLK2	
		-0.01	0.01	0.04	0.06			
		5	6	7	8	NA	-0.01	1.00

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508057 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cali	bration Blank	s	В	ethod lank ch ID)	PQL
		1	2	3	4	NA	1508043-BLK2	
	0.01	0.02	0.02	0.02	0.01			
Copper		5	6	7	8	NA	0.07	1.00
	0.01	1	2	3	4	NA	1508046-BLK2	
	0.01	0.02	0.02	0.02	0.01	NA	0.02	1.00
		5	6	7	8	INA	0.02	1.00
		1	2	3	4	NA	1508046-BLK2	
	-0.01	0.04	-0.12	-0.12	-0.19			
Arsenic		5	6	7	8	NA	-0.14	2.00
		1	2	3	4	NA	1508043-BLK2	
	-0.01	0.04	-0.12	-0.12	-0.19			0.00
		5	6	7	8	NA	-0.08	2.00
	0.11	1	2	3	4	NA	1508043-BLK2	
Selenium	0.11	0.03	-0.02	0.01	0.08	NA	0.18	2.00
Clanan		5	6	7	8	11/1	0.75	2.00
		1	2	3	4	NA	1508046-BLK2	
	0.11	0.03	-0.02	0.01	0.08			
		5	6	7	8	NA	-0.20	2.00
	0.04	1	2	3	4	NA	1508046-BLK2	
A A - U do do morno	0.04	0.03	0.04	0.05	0.05	NIA	0.00	1.00
Molybdenum		5	6	7	8	NA	0.00	1.00
	0.04	1	2	3	4	NA	1508043-BLK2	
		0.03	0.04	0.05	0.05		6.55	
		5	6	7	8	NA	0.23	1.00

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508057 **Total Recoverable** Concentration Units: <u>ug/L</u>

Analyte	Initial Calibration Blank (1 & 2)	(	Continuing Cali	bration Blank	s	В	ethod lank ch ID)	PQL
		1	2	3	4	NA	1508043-BLK2	
	0.03	0.03	0.02	0.02	0.04			
Silver		5	6	7	8	NA	0.02	1.00
	0.02	1	2	3	4	NA	1508046-BLK2	
	0.03	0.03	0.02	0.02	0.04		0.00	1.00
		5	6	7	8	NA	0.00	1.00
	0.02	1	2	3	4	NA	1508043-BLK2	
Cadmium	0.02	0.02	0.02	0.03	0.05	NA	0.01	0.20
Cadimidin		5	6	7	8	IVA	0.01	0.20
		1	2	3		NA	1508046-BLK2	
	0.02				4	IVA	1300040-BERZ	
		0.02	0.02	0.03	0.05	NA	0.01	0.20
		5	6	7	8			
		1	2	3	4	NA	1508043-BLK2	
	0.10	0.20	0.19	0.18	0.21			
Antimony		5	6	7	8	NA	-0.01	1.00
	0.40	1	2	3	4	NA	1508046-BLK2	
	0.10	0.20	0.19	0.18	0.21			4.00
		5	6	7	8	NA	0.01	1.00
	0.02	1	2	3	4	NA	1508046-BLK2	
Barium	0.02	0.04	0.03	0.02	0.01	NA	0.00	10.00
Danum		5	6	7	8	INA	0.00	10.00
		1	2	3	4	NA	1508043-BLK2	
	0.02	0.04	0.03	0.02	0.01			
		5	6	7	8	NA	0.28	10.00
		-	-					

# TechLaw Inc., ESAT Region 8 INORGANIC ANALYSES DATA SHEET Intial and Continuing Calibration Blanks

Analytical Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Instrument: ICPMS-PE DRC-II Work Order: Nu C150802

Analytical Sequence: 1508057 **Total Recoverable** Concentration Units: <u>ug/L</u>

	Calibration Blank (1 & 2)	c	Continuing Cali	bration Blank	5	Bla	thod ank ch ID)	PQL
		1	2	3	4	NA	1508046-BLK2	
	0.02	0.21	0.05	0.21	0.09		0.04	4.00
Thallium		5	6	7	8	NA	0.01	1.00
		1	2	3	4	NA	1508043-BLK2	
	0.02	0.21	0.05	0.21	0.09			
		5	6	7	8	NA	0.00	1.00
		1	2	3	4	NA	1508043-BLK2	
	0.01	0.03	0.02	0.03	0.03			0.00
Lead	-	5	6	7	8	NA	0.01	0.20
	0.01	1	2	3	4	NA	1508046-BLK2	
		0.03 0.02 0.03 0.03						
		5	6	7	8	NA	0.00	0.20

TechLaw, Inc. - ESAT Region 8

Initial and Continuing Calibration Verification Results

Mettler AT Method: EPA 310.1 Analysis Name: WC - Alkalinity

Sequence: 1508048 Work Order. C150802 Units: mg CaCO3 / L

Total	Initi	al (ICV1, I	CV2)		Cont	inuing C	alibration	Verification	n Stand	lards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
				100	98.7	98.7						
Total Alkalinity					4			5			6	
rotar / maining												
					7			8			9	

Metals - ICV & CCV %R Criteria = 90 - 110%, Classical Chemistry %R Criteria - ICV = 90 - 110%R, CCV = 80 - 120%R.

#### TechLaw, Inc. - ESAT Region 8

#### Initial and Continuing Calibration Verification Results

ICPOE - PE Optima Method: 200.7 Analysis Name: ICPOE Diss. Metals

Sequence: 1508049 Work Order. C150802 Units: ug/L

Sequence. 1506049		VVOIN OI	uci. Cit	30002	•	Jilis. uy	, _					
Dissolved	Initi	al (ICV1, I	ICV2)		Cont	inuing Ca	alibration	Verificati	on Stand	lards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
				12500	12400	99.2	12500	12440	99.5	12500	12160	97.3
Aluminum	12500	12500	100.0		4			5			6	
Aldifilliam				12500	12240	97.9						
					7			8			9	
					1			2			3	
	F00	F00 0	101.0	500	503.4	100.7	500	504.7	100.9	500	508.3	101.7
Beryllium	500	509.0	101.8		4			5			6	
Dei ymram				500	508.9	101.8						
					7			8			9	
					1			2			3	
	40500	10050	400.0	12500	12610	100.9	12500	12640	101.1	12500	12410	99.3
Calcium	12500	12850	102.8		4			5			6	
Calcium				12500	12590	100.7						
					7			8			9	
					1			2			3	
	40500	10700	101.0	12500	12490	99.9	12500	12500	100.0	12500	12390	99.1
Iron	12500	12700	101.6		4			5			6	
11011				12500	12570	100.6						
					7			8			9	
					1			2			3	
	10500	10000	101.0	12500	12570	100.6	12500	12590	100.7	12500	12320	98.6
Magnesium	12500	12620	101.0		4			5			6	
				12500	12400	99.2						
					7			8			9	
					1			2			3	
	1000	1026	102.6	1000	1016	101.6	1000	1016	101.6	1000	1027	102.7
Manganese	1000	1020	102.0		4			5			6	
				1000	1022	102.2						
					7			8			9	

#### TechLaw, Inc. - ESAT Region 8

#### Initial and Continuing Calibration Verification Results

ICPOE - PE Optima Method: 200.7 Analysis Name: ICPOE Diss. Metals

Sequence: 1508049 Work Order. C150802 Units: ug/L

Dissolved	Initi	al (ICV1, I	CV2)		Conti	nuing Ca	alibration	Verification	on Stand	ards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
	05000	05000	400.0	25000	24860	99.4	25000	24930	99.7	25000	24450	97.8
Potæsium	25000	25000	100.0		4			5			6	
Olasiani				25000	24570	98.3						
					7			8			9	
					1			2			3	
	40500	40500	400.0	12500	12440	99.5	12500	12490	99.9	12500	12220	97.8
Sodium	12500	12500	100.0		4			5			6	
Cociditi				12500	12290	98.3						
					7			8			9	
					1			2			3	
	0500	0505	400.0	2500	2497	99.9	2500	2511	100.4	2500	2544	101.8
Zinc	2500	2565	102.6		4			5			6	
2110				2500	2556	102.2						
					7			8			9	

Metals - ICV & CCV % R Criteria = 90 - 110%, Classical Chemistry % R Criteria - ICV = 90 - 110% R, CCV = 80 - 120% R.

TechLaw, Inc. - ESAT Region 8

Initial and Continuing Calibration Verification Results

CVAA FIMS - PE Method: 245.1 Analysis Name: TM\_Mercury 245.1

Sequence: 1508050 Work Order: C150802 Units: ug/L

Total	Init	ial (ICV1, I	ICV2)		Cont	inuing Ca	alibration	Verification	on Stand	lards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
		5.05	101.0	5.00	4.95	99.0	5.00	4.92	98.4	5.00	5.13	102.6
Mercury	5.00	5.05	101.0		4			5			6	
Wichdary				5.00	5.17	103.4						
					7			8			9	

Metals - ICV & CCV %R Criteria = 90 - 110%, Classical Chemistry %R Criteria - ICV = 90 - 110%R, CCV = 80 - 120%R.

#### TechLaw, Inc. - ESAT Region 8

#### Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Diss. Metals

Sequence: 1508051 Work Order. C150802 Units: ug/L

Sequence. 130000	′ 1	VVOIN OI	uci. Cit	00002		onna. uy	<i>/</i> L					
Dissolved	Init	ial (ICV1, I	ICV2)		Cont	inuing Ca	alibration	Verificati	on Stand	lards (CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
				50.0	48.7	97.4	50.0	49.5	99.0	50.0	50.5	101.0
Antimony	50.0	50.8	101.6		4			5			6	
Antimoriy				50.0	49.8	99.6						
					7			8			9	
					1			2			3	
	F0.0	E0 0	100.4	50.0	49.4	98.8	50.0	49.7	99.4	50.0	50.8	101.6
Arsenic	50.0	50.2	100.4		4			5			6	
7 (1001)10				50.0	49.3	98.6						
					7			8			9	
					1			2			3	
	50.0	50.4	400.0	50.0	50.5	101.0	50.0	50.7	101.4	50.0	50.5	101.0
Barium	50.0	50.1	100.2		4			5			6	
Darrain				50.0	51.3	102.6						
					7			8			9	
					1			2			3	
	50.0	40.0	07.0	50.0	49.5	99.0	50.0	50.3	100.6	50.0	51.1	102.2
Cadmium	50.0	48.8	97.6		4			5			6	
Cadmidin				50.0	50.6	101.2						
					7			8			9	
					1			2			3	
	50.0	48.9	97.8	50.0	49.4	98.8	50.0	48.2	96.4	50.0	49.1	98.2
Chromium	30.0	40.9	91.0		4			5			6	
				50.0	47.3	94.6						
					7			8			9	
					1			2			3	
	50.0	49.2	98.4	50.0	50.0	100.0	50.0	49.6	99.2	50.0	49.4	98.8
Cobalt	30.0	73.∠	50.4		4			5			6	
				50.0	48.4	96.8						
					7			8			9	

#### TechLaw, Inc. - ESAT Region 8

#### Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Diss. Metals

Sequence: 1508051 Work Order. C150802 Units: ug/L

Dissolved		ial (ICV1, I	CV2)	1		inuina Ca		Verificati	on Stand	lards (CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
	1,40	, carra	70.1	1140	1	7011	1100	2	70.1	rrac	3	7011
				50.0	50.1	100.2	50.0	48.4	96.8	50.0	49.1	98.2
0	50.0	49.5	99.0		4			5			6	
Copper				50.0	48.7	97.4						
					7			8			9	
					1			2			3	
	F0.0	F0.0	400.4	50.0	49.4	98.8	50.0	49.7	99.4	50.0	50.2	100.4
Lead	50.0	50.2	100.4		4			5			6	
2000				50.0	49.4	98.8						
					7			8			9	
					1			2			3	
	50.0	40.0	00.6	50.0	51.6	103.2	50.0	51.7	103.4	50.0	52.3	104.6
Molybdenum	50.0	49.8	99.6		4			5			6	
ery 2 de l'all.				50.0	51.0	102.0						
					7			8			9	
					1			2			3	
	50.0	50.1	100.2	50.0	49.7	99.4	50.0	48.2	96.4	50.0	49.6	99.2
Nickel	30.0	50.1	100.2		4			5			6	
				50.0	47.8	95.6						
					7			8			9	
					1			2			3	
	50.0	50.8	101.6	50.0	50.2	100.4	50.0	49.1	98.2	50.0	50.1	100.2
Selenium	00.0		101.0		4			5			6	
				50.0	49.5	99.0						
					7			8			9	
					1 10.5	00.0	50.0	2	400.0	F0.0	3	404.0
	50.0	49.5	99.0	50.0	49.5	99.0	50.0	50.4	100.8	50.0	50.9	101.8
Silver	<u> </u>			50.0	4 50.0	464.6		5			6	
				50.0	50.6	101.2						
					7			8			9	

TechLaw, Inc. - ESAT Region 8

Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Diss. Metals

Sequence: 1508051 Work Order. C150802 Units: ug/L

Dissolved	Initi	ial (ICV1, I	CV2)		Cont	inuing Ca	alibration	Verification	on Stand	lards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
	50.0	40.7	00.4	50.0	49.3	98.6	50.0	49.2	98.4	50.0	49.8	99.6
Thallium	50.0	49.7	99.4		4			5			6	
Haman				50.0	49.4	98.8						
					7			8			9	
					1			2			3	
	50.0	40.7	07.4	50.0	49.3	98.6	50.0	48.8	97.6	50.0	48.6	97.2
Vanadium	50.0	48.7	97.4		4			5			6	
Variaciani				50.0	48.9	97.8						
					7			8			9	

 $Metals - ICV \& CCV \% R \ Criteria = 90 - 110\%, \ Classical \ Chemistry \% R \ Criteria - ICV = 90 - 110\% R, \ CCV = 80 - 120\% R.$ 

TechLaw, Inc. - ESAT Region 8

Initial and Continuing Calibration Verification Results

**pH Meter** Method: 150.1 Analysis Name: WC-pH

Sequence: 1508053 Work Order. C150802 Units: pH Units

WET	Initi	ial (ICV1, I	CV2)		Continuing Calibration Verification Standards (CCVs)									
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R		
					1			2			3			
рН					4			5			6			
þi i														
					7			8			9			
						·			Ö			·		

Metals - ICV & CCV %R Criteria = 90 - 110%, Classical Chemistry %R Criteria - ICV = 90 - 110%R, CCV = 80 - 120%R.

### TechLaw, Inc. - ESAT Region 8

### Initial and Continuing Calibration Verification Results

ICPOE - PE Optima Method: 200.7 Analysis Name: ICPOE Tot. Rec. Metals

Sequence: 1508056 Work Order. C150802 Units: ug/L

Sequence. 1300030		VVOIR OI	uci. Cit	30002		ກາເຣ. ug	<i>,</i> –					
Total Recoverable	Initi	al (ICV1, I	CV2)		Cont	nuing C	alibration	Verificati	on Stand	ards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
				12500	12300	98.4	12500	12340	98.7	12500	12550	100.4
Aluminum	12500	12450	99.6		4			5			6	
Aldifiliari				12500	12400	99.2						
					7			8			9	
					1			2			3	
	F00	F04.0	400.4	500	507.8	101.6	500	511.4	102.3	500	492.2	98.4
Beryllium	500	501.9	100.4		4			5			6	
Del y mam				500	490.3	98.1						
					7			8			9	
					1			2			3	
	10500	10100	00.7	12500	12520	100.2	12500	12650	101.2	12500	12280	98.2
Calcium	12500	12460	99.7		4			5			6	
Calcium				12500	12140	97.1						
					7			8			9	
					1			2			3	
	40500	40500	400.0	12500	12540	100.3	12500	12630	101.0	12500	12500	100.0
Iron	12500	12580	100.6		4			5			6	
11011				12500	12590	100.7						
					7			8			9	
					1			2			3	
	40500	10500	100.0	12500	12430	99.4	12500	12490	99.9	12500	12600	100.8
Magnesium	12500	12530	100.2		4			5			6	
Magricorain				12500	12490	99.9						
					7			8			9	
					1			2			3	
	1000	1010	404.0	1000	1023	102.3	1000	1029	102.9	1000	991.3	99.1
Manganese	1000	1010	101.0		4			5			6	
Manganos				1000	987.8	98.8						
					7			8			9	

#### TechLaw, Inc. - ESAT Region 8

#### Initial and Continuing Calibration Verification Results

ICPOE - PE Optima Method: 200.7 Analysis Name: ICPOE Tot. Rec. Metals

Sequence: 1508056 Work Order. C150802 Units: ug/L

Total Recoverable	Initi	al (ICV1, I	CV2)		Cont	inuing C	alibration	Verification	on Stand	lards (CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
	05000	0.4050	00.4	25000	24550	98.2	25000	24600	98.4	25000	24860	99.4
Potassium	25000	24850	99.4		4			5			6	
rotassiam				25000	24590	98.4						
					7			8			9	
					1			2			3	
	40500	10100	00.0	12500	12320	98.6	12500	12370	99.0	12500	12500	100.0
Sodium	12500	12400	99.2		4			5			6	
Socialii				12500	12340	98.7						
					7			8			9	
					1			2			3	
	0500	0550	400.0	2500	2599	104.0	2500	2633	105.3	2500	2499	100.0
Zinc	2500	2558	102.3		4			5			6	
2110				2500	2494	99.8						
					7			8			9	

Metals - ICV & CCV % R Criteria = 90 - 110%, Classical Chemistry % R Criteria - ICV = 90 - 110% R, CCV = 80 - 120% R.

### TechLaw, Inc. - ESAT Region 8

### Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Sequence: 1508057 Work Order. C150802 Units: ug/L

3equence. 1300037			uei. Cit	00002		Jilis. ug						
Total Recoverable	Init	ial (ICV1, I	ICV2)		Cont	inuing C	alibration	Verificati	on Stand	lards(CC	Vs)	
Analyte	True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R
					1			2			3	
	50.0	E0 77	101 E	50.0	47.50	95.0	50.0	46.88	93.8	50.0	47.33	94.7
Antimony	50.0	50.77	101.5		4			5			6	
, and thorny				50.0	46.97	93.9						
					7			8			9	
					1			2			3	
	E0.0	40.60	99.2	50.0	49.64	99.3	50.0	47.04	94.1	50.0	48.27	96.5
Arsenic	50.0	49.62	99.2		4			5			6	
,				50.0	46.78	93.6						
					7			8			9	
					1			2			3	
	E0.0	40.40	00.0	50.0	50.04	100.1	50.0	47.69	95.4	50.0	47.62	95.2
Barium	50.0	49.48	99.0		4			5			6	
Darram				50.0	46.28	92.6						
					7			8			9	
					1			2			3	
	50.0	FO 44	400.0	50.0	49.61	99.2	50.0	49.91	99.8	50.0	49.90	99.8
Cadmium	50.0	50.44	100.9		4			5			6	
Saarman				50.0	49.44	98.9						
					7			8			9	
					11			2			3	
	50.0	EO 16	100.3	50.0	48.57	97.1	50.0	46.44	92.9	50.0	46.71	93.4
Chromium	50.0	50.16	100.3		4			5			6	
				50.0	47.34	94.7						
					7			8			9	
					1			2			3	
	50.0	50.72	101.4	50.0	47.69	95.4	50.0	47.76	95.5	50.0	47.67	95.3
Cobalt	30.0	JU.12	101.4		4			5			6	
				50.0	48.08	96.2						
					7			8			9	

### TechLaw, Inc. - ESAT Region 8

### Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Sequence: 1508057 Work Order. C150802 Units: ug/L

Total Recoverable								·\/e\				
Analyte				_					_			0/ 5
<b>y</b>	True	Found	%R	True	Found	%R	True	Found 2	%R	True	Found	%R
				50.0	<u>1</u> 48.74	97.5	50.0	46.86	93.7	50.0	3 46.72	93.4
_	50.0	51.01	102.0	- 55.5	40.74	37.0	55.5	5	55.1	55.5	6	
Copper	<u> </u>			50.0	48.07	96.1						
					7	00.1		8			9	
					1			2			3	
		40.50	~~ ~	50.0	49.42	98.8	50.0	48.07	96.1	50.0	48.33	96.7
Lead	50.0	49.59	99.2		4			5			6	
				50.0	47.80	95.6						
					7			8			9	
					1			2			3	
	50.0	50.55	101.1	50.0	50.21	100.4	50.0	50.79	101.6	50.0	50.53	101.1
Molybdenum	30.0		101.1		4			5			6	
				50.0	50.93	101.9						
				ļ	7			8			9	
					1			2			3	
	50.0	49.81	99.6	50.0	47.95	95.9	50.0	47.19	94.4	50.0	46.18	92.4
Nickel					4			5			6	
				50.0	47.97	95.9						
	[			<b> </b>	7			8			9	
					1 40.97	00.7	E0.0	<u>2</u>	00.0	E0.0	47.42	04.0
	50.0	48.31	96.6	50.0	49.87	99.7	50.0	46.00	92.0	50.0	47.43	94.9
Selenium	ļ			50.0	45.05	04.0		5			6	
				50.0	45.95 <b>7</b>	91.9					9	
				<u> </u>				8			<u> </u>	
				<del>                                     </del>	1			2			3	
	[			50.0	48.01	96.0	50.0	49.09	98.2	50.0	48.89	97.8
Cilve-	50.0	50.20	100.4		4			5	_		6	_
Silver				50.0	48.13	96.3						
					7			8			9	
	L			I			L					

TechLaw, Inc. - ESAT Region 8

Initial and Continuing Calibration Verification Results

ICPMS-PE DRC-II Method: 200.8 Analysis Name: ICPMS Tot. Rec. Metals

Sequence: 1508057 Work Order. C150802 Units: ug/L

Initi	Initial (ICV1, ICV2)		Continuing Calibration Verification Standards (CCVs)									
True	Found	%R	True	Found	%R	True	Found	%R	True	Found	%R	
				1			2			3		
F0.0	40.00	07.0	50.0	48.98	98.0	50.0	47.58	95.2	50.0	48.24	96.5	
50.0	48.88	97.8		4			5			6		
			50.0	47.12	94.2							
				7			8			9		
				1			2			3		
FO 0	F0.00	404.0	50.0	49.25	98.5	50.0	47.98	96.0	50.0	47.80	95.6	
50.0	50.00	101.3		4			5			6		
			50.0	47.13	94.3							
				7			8			9		
		True         Found           50.0         48.88	True         Found         % R           50.0         48.88         97.8	True         Found         %R         True           50.0         48.88         97.8         50.0           50.0         50.0         50.0           50.0         50.0         50.0	True         Found         %R         True         Found           50.0         48.88         97.8         50.0         48.98           50.0         47.12         7           50.0         47.12         7           50.0         49.25         4           50.0         47.13         4	True         Found         %R         True         Found         %R           50.0         48.88         97.8         50.0         48.98         98.0           50.0         47.12         94.2           7         7           50.0         49.25         98.5           50.0         47.13         94.3	True         Found         %R         True         Found         %R         True           50.0         48.98         98.0         50.0           4         50.0         47.12         94.2           7         7           50.0         49.25         98.5         50.0           50.0         47.13         94.3         94.3	True         Found         %R         True         Found         %R         True         Found           50.0         48.98         98.0         50.0         47.58           50.0         48.98         98.0         50.0         47.58           50.0         47.12         94.2         94.2           7         8         8           50.0         49.25         98.5         50.0         47.98           50.0         47.13         94.3         5	True         Found         %R         True         Found         %R         True         Found         %R           50.0         48.98         98.0         50.0         47.58         95.2           50.0         47.12         94.2	True         Found         %R         True         Found         %R         True         Found         %R         True         Found         %R         True           50.0         48.98         98.0         50.0         47.58         95.2         50.0           50.0         47.12         94.2	True         Found         %R         True         \$3         \$3         \$4         \$4         \$5         \$50.0         \$48.24         \$4         \$5         \$6 <th< td=""></th<>	

 $Metals - ICV \& CCV \% R \ Criteria = 90 - 110\%, \ Classical \ Chemistry \% R \ Criteria - ICV = 90 - 110\% R, \ CCV = 80 - 120\% R.$ 

[none]

# TechLaw, Inc. - ESAT Region 8 ICP Interference Check Sample ICPMS-PE DRC-II

<u>Analyte</u>	500054		heck Sample	Result*	<u>Units</u>	True	<u>%R</u>	<u>PQL</u>
Sequence: 19 Antimony	508051	Analysis:	ICPMS Diss. Metals IFA1	0.0	ug/L			1.00
- · · · · · · · · · · · · · · · · · · ·			IFB1	0.0	ug/L			1.00
Arsenic			IFA1	-0.1	ug/L			2.00
			IFB1	20.0	ug/L	20	100	2.00
Barium			IFA1	0.0	ug/L			10.0
			IFB1	0.2	ug/L			10.0
Cadmium			IFA1	0.0	ug/L			0.200
			IFB1	20.4	ug/L	20	102	0.200
Chromium			IFA1	0.0	ug/L			2.00
			IFB1	19.3	ug/L	20	97	2.00
Cobalt			IFA1	0.0	ug/L			0.200
			IFB1	19.4	ug/L	20	97	0.200
Copper			IFA1	0.6	ug/L			1.00
			IFB1	20.2	ug/L	20	101	1.00
Lead			IFA1	0.0	ug/L			0.200
			IFB1	0.0	ug/L			0.200
Molybdenum			IFA1	198.1	ug/L	200	99	1.00
			IFB1	203.5	ug/L	200	102	1.00
Nickel			IFA1	-0.2	ug/L			1.00
			IFB1	19.6	ug/L	20	98	1.00
Selenium			IFA1	-0.4	ug/L			2.00
			IFB1	-0.5	ug/L			2.00
Silver			IFA1	0.0	ug/L			1.00
			IFB1	19.4	ug/L	20	97	1.00
Thallium			IFA1	-0.1	ug/L			1.00
			IFB1	-0.1	ug/L			1.00
Vanadium			IFA1	-0.2	ug/L			3.00
			IFB1	-0.6	ug/L			3.00

<sup>\*</sup>Criteria = 80-120%R of True Value or+/- PQL

See raw data for complete analyte list and results.

[none]

## TechLaw, Inc. - ESAT Region 8 ICP Interference Check Sample ICPMS-PE DRC-II

Analyte Sequence: 1508	3057 Ana	Check Sample  Alysis: ICPMS Tot. Rec.	<u>Result*</u> Metals	<u>Units</u>	True	<u>%R</u>	<u>PQL</u>
Antimony		IFA1	0.0	ug/L			1.00
		IFB1	0.0	ug/L			1.00
Arsenic		IFA1	0.1	ug/L			2.00
		IFB1	20.3	ug/L	20	102	2.00
Barium		IFA1	0.0	ug/L			10.0
		IFB1	0.2	ug/L			10.0
Cadmium		IFA1	0.1	ug/L			0.200
		IFB1	20.2	ug/L	20	101	0.200
Chromium		IFA1	0.1	ug/L			2.00
		IFB1	20.2	ug/L	20	101	2.00
Cobalt		IFA1	0.0	ug/L			0.200
		IFB1	20.1	ug/L	20	100	0.200
Copper		IFA1	0.6	ug/L			1.00
		IFB1	20.8	ug/L	20	104	1.00
Lead		IFA1	0.0	ug/L			0.200
		IFB1	0.1	ug/L			0.200
Molybdenum		IFA1	203.6	ug/L	200	102	1.00
		IFB1	205.6	ug/L	200	103	1.00
Nickel		IFA1	-0.3	ug/L			1.00
		IFB1	19.2	ug/L	20	96	1.00
Selenium		IFA1	-0.3	ug/L			2.00
		IFB1	-0.4	ug/L			2.00
Silver		IFA1	0.0	ug/L			1.00
		IFB1	19.7	ug/L	20	99	1.00
Thallium		IFA1	0.0	ug/L			1.00
		IFB1	0.0	ug/L			1.00
		IFA1	0.3	ug/L			3.00
		IFB1	-0.1	ug/L			3.00

<sup>\*</sup>Criteria = 80-120%R of True Value or+/- PQL See raw data for complete analyte list and results.

[none]

# TechLaw, Inc. - ESAT Region 8 ICP Interference Check Sample ICPOE - PE Optima

Analyte Sequence: 1508049	<u>Check Sample</u> Analysis: ICPOE Diss. Metals	Result*	<u>Units</u>	True	<u>%R</u>	<u>PQL</u>
Aluminum	IFA1	60,692.9	ug/L	60,000	101	50.0
	IFB1	59,888.5	ug/L	60,000	100	50.0
Beryllium	IFA1	-0.5	ug/L			5.00
	IFB1	99.4	ug/L	100	99	5.00
Calcium	IFA1	289,975.8	ug/L	300,000	97	250
	IFB1	288,132.4	ug/L	300,000	96	250
Iron	IFA1	236,081.1	ug/L	250,000	94	250
	IFB1	234,753.8	ug/L	250,000	94	250
Magnesium	IFA1	143,118.4	ug/L	150,000	95	250
	IFB1	141,998.2	ug/L	150,000	95	250
Manganese	IFA1	1.2	ug/L			5.00
	IFB1	196.0	ug/L	200	98	5.00
Potassium	IFA1	-306.8	ug/L			1000
	IFB1	20,897.7	ug/L	20,000	104	1000
Sodium	IFA1	52,053.5	ug/L	50,000	104	1000
	IFB1	51,132.6	ug/L	50,000	102	1000
Zinc	IFA1	1.2	ug/L			20.0
	IFB1	287.9	ug/L	300	96	20.0

<sup>\*</sup>Criteria = 80-120%R of True Value or+/- PQL

See raw data for complete analyte list and results.

[none]

# TechLaw, Inc. - ESAT Region 8 ICP Interference Check Sample ICPOE - PE Optima

Analyte	4500050	_	Check Sample	Result*	<u>Units</u>	True	<u>%R</u>	<u>PQL</u>
Sequence: Aluminum	1508056	Analysis:	ICPOE Tot. Rec. IFA1	60,462.8	ug/L	60,000	101	50.0
7 (10111110111			IFB1	59,581.8	ug/L	60,000	99	50.0
Beryllium			IFA1	-0.5	ug/L	,		5.00
			IFB1	100.1	ug/L	100	100	5.00
Calcium			IFA1	290,448.4	ug/L	300,000	97	250
			IFB1	286,874.7	ug/L	300,000	96	250
Iron			IFA1	236,531.9	ug/L	250,000	95	250
			IFB1	234,587.7	ug/L	250,000	94	250
Magnesium			IFA1	143,175.3	ug/L	150,000	95	250
			IFB1	141,656.1	ug/L	150,000	94	250
Manganese			IFA1	1.0	ug/L			5.00
			IFB1	197.1	ug/L	200	99	5.00
Potassium			IFA1	-324.6	ug/L			1000
			IFB1	20,624.6	ug/L	20,000	103	1000
Sodium			IFA1	51,721.2	ug/L	50,000	103	1000
			IFB1	50,847.3	ug/L	50,000	102	1000
Zinc			IFA1	0.3	ug/L			20.0
			IFB1	293.8	ug/L	300	98	20.0

<sup>\*</sup>Criteria = 80-120%R of True Value or+/- PQL

See raw data for complete analyte list and results.

[none]

## TechLaw, Inc. - ESAT Region 8 Detection Limit (PQL) Standard ICPMS-PE DRC-II

Metals (Dissolved) by EPA 200/7000 Series Methods

Sequence: 1508051

<u>Analyte</u>	<u>True</u>	<u>Found</u>	<u>%R</u>	<u>Units</u>
Antimony	1.00	1.02	102	ug/L
Arsenic	2.00	2.29	114	ug/L
Barium	10.0	9.79	98	ug/L
Cadmium	0.200	0.119	60	ug/L
Chromium	2.00	1.67	84	ug/L
Cobalt	0.200	0.188	94	ug/L
Copper	1.00	0.942	94	ug/L
Lead	0.200	0.161	81	ug/L
Molybdenum	1.00	0.954	95	ug/L
Nickel	1.00	1.17	117	ug/L
Selenium	2.00	2.39	120	ug/L
Silver	1.00	0.978	98	ug/L
Thallium	1.00	0.882	88	ug/L
Vanadium	2.00	1.76	88	ug/L

 $Recovery\ Control\ Limits:\ 70\text{-}130\%\ except\ Pb,\ TI,\ Sb,\ \&\ Hg\ at\ 50\text{-}150\%. No\ limits\ for\ AI,\ Ca,\ Fe,\ K,\ Mg\ \&\ Na.$ 

Project Name:

[none]

## TechLaw, Inc. - ESAT Region 8 Detection Limit (PQL) Standard ICPOE - PE Optima

Metals (Dissolved) by EPA 200/7000 Series Methods

Sequence: 1508049

<u>Analyte</u>	True	<u>Found</u>	<u>%R</u>	<u>Units</u>
Aluminum	100	98.62	99	ug/L
Beryllium	5.00	5.060	101	ug/L
Calcium	250	251.6	101	ug/L
Iron	100	94.73	95	ug/L
Magnesium	1000	1030	103	ug/L
Manganese	10.0	10.47	105	ug/L
Potassium	1000	1044	104	ug/L
Sodium	1000	1031	103	ug/L
Zinc	50.0	53.16	106	ug/L

Recovery Control Limits: 70-130% except Pb, Tl, Sb, & Hg at 50-150%. No limits for Al, Ca, Fe, K, Mg & Na.

Project Name:

[none]

## TechLaw, Inc. - ESAT Region 8 Detection Limit (PQL) Standard ICPMS-PE DRC-II

Metals (Total Recov) by EPA 200/7000 Series Methods

Sequence: 1508057

<u>Analyte</u>	<u>True</u>	<u>Found</u>	<u>%R</u>	<u>Units</u>
Antimony	1.00	1.057	106	ug/L
Arsenic	2.00	1.918	96	ug/L
Barium	10.0	9.494	95	ug/L
Cadmium	0.200	0.1921	96	ug/L
Chromium	2.00	1.682	84	ug/L
Cobalt	0.200	0.1965	98	ug/L
Copper	1.00	1.027	103	ug/L
Lead	0.200	0.2049	102	ug/L
Molybdenum	1.00	1.025	102	ug/L
Nickel	1.00	0.9616	96	ug/L
Selenium	2.00	2.079	104	ug/L
Silver	1.00	0.9362	94	ug/L
Thallium	1.00	0.9511	95	ug/L
Vanadium	2.00	1.981	99	ug/L

Recovery Control Limits: 70-130% except Pb, Tl, Sb, & Hg at 50-150%.No limits for Al, Ca, Fe, K, Mg & Na.

Project Name:

[none]

## TechLaw, Inc. - ESAT Region 8 Detection Limit (PQL) Standard ICPOE - PE Optima

Metals (Total Recov) by EPA 200/7000 Series Methods

Sequence: 1508056

<u>Analyte</u>	True	<u>Found</u>	<u>%R</u>	<u>Units</u>
Aluminum	100	110.5	111	ug/L
Beryllium	5.00	5.101	102	ug/L
Calcium	250	249.2	100	ug/L
Iron	100	85.92	86	ug/L
Magnesium	1000	1013	101	ug/L
Manganese	10.0	10.40	104	ug/L
Potassium	1000	1063	106	ug/L
Sodium	1000	1021	102	ug/L
Zinc	50.0	52.73	105	ug/L

Recovery Control Limits: 70-130% except Pb, Tl, Sb, & Hg at 50-150%. No limits for Al, Ca, Fe, K, Mg & Na.

Project Name:

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: EPA 310.1 Total Sequence ID#: 1508048

Instrument ID#: Mettler A	Γ W	ater	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508047-SRM1	Reference	08/10/15	02:36
1508047-BLK1	Blank	08/10/15	02:36
C150802-66	GKMSW12-080915	08/10/15	02:36
1508047-DUP1	Duplicate	08/10/15	02:36
C150802-27	GKMSW01-080915	08/10/15	02:36
C150802-33	GKMSW02-080915	08/10/15	02:36
C150802-39	GKMSW03-080915	08/10/15	02:36
C150802-45	GKMSW04-080915	08/10/15	02:36
C150802-51	GKMSW05-080915	08/10/15	02:36
C150802-63	GKMSW08-080915	08/10/15	02:36
1508048-CCV1	Calibration Check	08/10/15	02:36
1508048-CCB1	Calibration Blank	08/10/15	02:36

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.7 Dissolved Sequence ID#: 1508049

	E - PE Optima Wate		LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508049-ICV1	Initial Cal Check	08/10/15	00:51
508049-SCV1	Secondary Cal Check	08/10/15	00:55
1508049-ICB1	Initial Cal Blank	08/10/15	00:58
1508049-CRL1	Instrument RL Check	08/10/15	01:01
508049-IFA1	Interference Check A	08/10/15	01:04
508049-IFB1	Interference Check B	08/10/15	01:07
508038-BLK1	Blank	08/10/15	01:12
1508038-BS1	Blank Spike	08/10/15	01:15
C150802-23	GKMSW01-080815	08/10/15	01:18
508038-DUP1	Duplicate	08/10/15	01:21
508049-SRD1	Serial Dilution	08/10/15	01:24
508038-MS1	Matrix Spike	08/10/15	01:27
C150802-26	GKMSW01-080915	08/10/15	01:30
508038-MS2	Matrix Spike	08/10/15	01:34
C150802-02	AMIMAS-ROTARY PARK-00	08/10/15	01:37
C150802-05	AMIMAS-ROTARY PARK-00	08/10/15	01:40
508049-CCV1	Calibration Check	08/10/15	01:43
508049-CCB1	Calibration Blank	08/10/15	01:46
C150802-08	AMIMAS-ROTARY PARK-10	08/10/15	01:49
C150802-11	AMIMAS-ROTARY PARK-20	08/10/15	01:53
C150802-14	AMIMAS-ROTARY PARK-21	08/10/15	01:56
C150802-17	AMIMAS-ROTARY PARK-22	08/10/15	01:59
C150802-20	AMIMAS-ROTARY PARK-23	08/10/15	02:02
C150802-29	GKMSW02-080815	08/10/15	02:05
C150802-32	GKMSW02-080915	08/10/15	02:08
C150802-35	GKMSW03-080815	08/10/15	02:11
2150802-38	GKMSW03-080915	08/10/15	02:15
508049-CCV2	Calibration Check	08/10/15	02:21
508049-CCB2	Calibration Blank	08/10/15	02:24
1508041-BLK1	Blank	08/10/15	02:29
508041-BS1	Blank Spike	08/10/15	02:32
C150802-41	GKMSW04-080815	08/10/15	02:35
508041-DUP1	Duplicate	08/10/15	02:38
508049-SRD2	Serial Dilution	08/10/15	02:42
508041-MS1	Matrix Spike	08/10/15	02:45
C150802-44	GKMSW04-080915	08/10/15	02:48
C150802-47	GKMSW05-080815	08/10/15	02:51
C150802-50	GKMSW05-080915	08/10/15	02:54

Project Name:

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.7 Dissolved Sequence ID#: 1508049

Instrument ID#: ICPOE -	PE Optima	Water	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508049-CCV3	Calibration Check	08/10/15	03:00
1508049-CCB3	Calibration Blank	08/10/15	03:04
C150802-53	GKMSW06-080815	08/10/15	03:07
C150802-56	GKMSW07-080815	08/10/15	03:10
C150802-59	GKMSW08-080815	08/10/15	03:13
C150802-62	GKMSW08-080915	08/10/15	03:16
C150802-65	GKMSW12-080915	08/10/15	03:19
C150802-68	GKMTB01-080815	08/10/15	03:22
1508049-CCV4	Calibration Check	08/10/15	03:28
1508049-CCB4	Calibration Blank	08/10/15	03:32

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 245.1 Total Sequence ID#: 1508050

	A FIMS - PE Wate		LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508050-ICV1	Initial Cal Check	08/10/15	06:17
1508050-ICB1	Initial Cal Blank	08/10/15	06:17
1508050-SCV1	Secondary Cal Check	08/10/15	06:17
1508050-IBL1	Instrument Blank	08/10/15	06:17
1508045-BS1	Blank Spike	08/10/15	06:17
1508045-BLK1	Blank	08/10/15	06:17
1508045-DUP1	Duplicate	08/10/15	06:17
C150802-01	AMIMAS-ROTARY PARK-00	08/10/15	06:17
1508045-MS1	Matrix Spike	08/10/15	06:17
C150802-04	AMIMAS-ROTARY PARK-00	08/10/15	06:17
C150802-07	AMIMAS-ROTARY PARK-10	08/10/15	06:17
C150802-10	AMIMAS-ROTARY PARK-20	08/10/15	06:17
C150802-13	AMIMAS-ROTARY PARK-21	08/10/15	06:17
C150802-16	AMIMAS-ROTARY PARK-22	08/10/15	06:17
1508050-CCV1	Calibration Check	08/10/15	06:17
1508050-CCB1	Calibration Blank	08/10/15	06:17
C150802-19	AMIMAS-ROTARY PARK-23	08/10/15	06:17
C150802-22	GKMSW01-080815	08/10/15	06:17
C150802-25	GKMSW01-080915	08/10/15	06:17
C150802-28	GKMSW02-080815	08/10/15	06:17
C150802-31	GKMSW02-080915	08/10/15	06:17
1508045-MS2	Matrix Spike	08/10/15	06:17
C150802-34	GKMSW03-080815	08/10/15	06:17
C150802-37	GKMSW03-080915	08/10/15	06:17
C150802-40	GKMSW04-080815	08/10/15	06:17
C150802-43	GKMSW04-080915	08/10/15	06:17
1508050-CCV2	Calibration Check	08/10/15	06:17
1508050-CCB2	Calibration Blank	08/10/15	06:17
C150802-46	GKMSW05-080815	08/10/15	06:17
C150802-49	GKMSW05-080915	08/10/15	06:17
C150802-52	GKMSW06-080815	08/10/15	06:17
C150802-55	GKMSW07-080815	08/10/15	06:17
C150802-58	GKMSW08-080815	08/10/15	06:17
C150802-61	GKMSW08-080915	08/10/15	06:17
1508045-BS2	Blank Spike	08/10/15	06:17
1508045-BLK2	Blank	08/10/15	06:17
1508045-DUP2	Duplicate	08/10/15	06:17
1508045-MS3	Matrix Spike	08/10/15	06:17

Project Name:

### TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 245.1 Total Sequence ID#: 1508050

Instrument ID#: CVAA FIMS - PE Water LSR#: Analysis Date Analysis Time Analysis ID Sample Name 1508050-CCV3 06:17 Calibration Check 08/10/15 1508050-CCB3 06:17 Calibration Blank 08/10/15 C150802-64 GKMSW12-080915 08/10/15 06:17 C150802-67 GKMTB01-080815 06:17 08/10/15 1508050-CCV4 Calibration Check 08/10/15 06:17 1508050-CCB4 06:17 Calibration Blank 08/10/15

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.8 Dissolved Sequence ID#: 1508051

Instrument ID#: ICPM	S-PE DRC-II Wate	er	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508051-ICV1	Initial Cal Check	08/10/15	01:12
1508051-SCV1	Secondary Cal Check	08/10/15	01:15
1508051-ICB1	Initial Cal Blank	08/10/15	01:19
1508051-CRL1	Instrument RL Check	08/10/15	01:22
1508051-IFA1	Interference Check A	08/10/15	01:25
1508051-IFB1	Interference Check B	08/10/15	01:29
1508039-BLK1	Blank	08/10/15	01:32
1508039-BS1	Blank Spike	08/10/15	01:35
C150802-23	GKMSW01-080815	08/10/15	01:38
1508039-DUP1	Duplicate	08/10/15	01:41
1508051-SRD1	Serial Dilution	08/10/15	01:44
1508039-MS1	Matrix Spike	08/10/15	01:47
C150802-26	GKMSW01-080915	08/10/15	01:50
1508039-MS2	Matrix Spike	08/10/15	01:54
C150802-02	AMIMAS-ROTARY PARK-00	08/10/15	01:57
C150802-05	AMIMAS-ROTARY PARK-00	08/10/15	02:00
1508051-CCV1	Calibration Check	08/10/15	02:03
1508051-CCB1	Calibration Blank	08/10/15	02:06
C150802-08	AMIMAS-ROTARY PARK-10	08/10/15	02:09
C150802-11	AMIMAS-ROTARY PARK-20	08/10/15	02:13
C150802-14	AMIMAS-ROTARY PARK-21	08/10/15	02:16
C150802-17	AMIMAS-ROTARY PARK-22	08/10/15	02:19
C150802-20	AMIMAS-ROTARY PARK-23	08/10/15	02:22
C150802-29	GKMSW02-080815	08/10/15	02:25
C150802-32	GKMSW02-080915	08/10/15	02:28
C150802-35	GKMSW03-080815	08/10/15	02:31
C150802-38	GKMSW03-080915	08/10/15	02:34
1508051-CCV2	Calibration Check	08/10/15	02:40
1508051-CCB2	Calibration Blank	08/10/15	02:44
1508042-BLK1	Blank	08/10/15	02:49
1508042-BS1	Blank Spike	08/10/15	02:52
C150802-41	GKMSW04-080815	08/10/15	02:55
1508042-DUP1	Duplicate	08/10/15	02:58
1508051-SRD2	Serial Dilution	08/10/15	03:01
1508042-MS1	Matrix Spike	08/10/15	03:04
C150802-44	GKMSW04-080915	08/10/15	03:07
C150802-47	GKMSW05-080815	08/10/15	03:10
C150802-50	GKMSW05-080915	08/10/15	03:13

Project Name:

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.8 Dissolved Sequence ID#: 1508051

Instrument ID#: ICPMS	S-PE DRC-II	Water	LSR#:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508051-CCV3	Calibration Check	08/10/15	03:20
1508051-CCB3	Calibration Blank	08/10/15	03:23
C150802-53	GKMSW06-080815	08/10/15	03:26
C150802-56	GKMSW07-080815	08/10/15	03:29
C150802-59	GKMSW08-080815	08/10/15	03:32
C150802-62	GKMSW08-080915	08/10/15	03:36
C150802-65	GKMSW12-080915	08/10/15	03:39
C150802-68	GKMTB01-080815	08/10/15	03:42
1508051-CCV4	Calibration Check	08/10/15	03:48
1508051-CCB4	Calibration Blank	08/10/15	03:51

Project Name:

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 150.1 WET Sequence ID#: 1508053

Instrument ID#: pH Meter	Wat	ter	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
C150802-03	AMIMAS-ROTARY PARK-00	08/10/15	04:16
C150802-06	AMIMAS-ROTARY PARK-00	08/10/15	04:16
C150802-09	AMIMAS-ROTARY PARK-10	08/10/15	04:16
C150802-12	AMIMAS-ROTARY PARK-20	08/10/15	04:16
C150802-15	AMIMAS-ROTARY PARK-21	08/10/15	04:16
C150802-18	AMIMAS-ROTARY PARK-22	08/10/15	04:16
C150802-21	AMIMAS-ROTARY PARK-23	08/10/15	04:16

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.7 Total Recoverable Sequence ID#: 1508056

nstrument ID #: ICPOE - PE Optima		r	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508056-ICV1	Initial Cal Check	08/10/15	06:06
1508056-SCV1	Secondary Cal Check	08/10/15	06:10
1508056-ICB1	Initial Cal Blank	08/10/15	06:13
1508056-CRL1	Instrument RL Check	08/10/15	06:16
1508056-IFA1	Interference Check A	08/10/15	06:19
1508056-IFB1	Interference Check B	08/10/15	06:23
1508043-BLK1	Blank	08/10/15	06:27
1508043-SRM1	Reference	08/10/15	06:30
C150802-22	GKMSW01-080815	08/10/15	06:33
1508043-DUP1	Duplicate	08/10/15	06:36
1508056-SRD1	Serial Dilution	08/10/15	06:39
1508043-MS1	Matrix Spike	08/10/15	06:43
C150802-25	GKMSW01-080915	08/10/15	06:46
1508043-MS3	Matrix Spike	08/10/15	06:49
C150802-01	AMIMAS-ROTARY PARK-00	08/10/15	06:52
1508056-CCV1	Calibration Check	08/10/15	06:58
1508056-CCB1	Calibration Blank	08/10/15	07:01
C150802-04	AMIMAS-ROTARY PARK-00	08/10/15	07:04
C150802-07	AMIMAS-ROTARY PARK-10	08/10/15	07:07
C150802-10	AMIMAS-ROTARY PARK-20	08/10/15	07:10
C150802-13	AMIMAS-ROTARY PARK-21	08/10/15	07:14
C150802-16	AMIMAS-ROTARY PARK-22	08/10/15	07:17
C150802-19	AMIMAS-ROTARY PARK-23	08/10/15	07:20
C150802-28	GKMSW02-080815	08/10/15	07:23
C150802-31	GKMSW02-080915	08/10/15	07:26
C150802-34	GKMSW03-080815	08/10/15	07:29
C150802-37	GKMSW03-080915	08/10/15	07:33
1508056-CCV2	Calibration Check	08/10/15	07:36
1508056-CCB2	Calibration Blank	08/10/15	07:39
1508046-BLK1	Blank	08/10/15	07:44
1508046-SRM1	Reference	08/10/15	07:47
C150802-40	GKMSW04-080815	08/10/15	07:50
1508046-DUP1	Duplicate	08/10/15	07:53
1508056-SRD2	Serial Dilution	08/10/15	07:57
1508046-MS1	Matrix Spike	08/10/15	08:00
C150802-43	GKMSW04-080915	08/10/15	08:03
C150802-46	GKMSW05-080815	08/10/15	08:06
C150802-49	GKMSW05-080915	08/10/15	08:09

Project Name:

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.7 Total Recoverable Sequence ID#: 1508056

Instrument ID#: ICPOE	- PE Optima	Water	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508056-CCV3	Calibration Check	08/10/15	08:15
1508056-CCB3	Calibration Blank	08/10/15	08:19
C150802-52	GKMSW06-080815	08/10/15	08:22
C150802-55	GKMSW07-080815	08/10/15	08:25
C150802-58	GKMSW08-080815	08/10/15	08:28
C150802-61	GKMSW08-080915	08/10/15	08:31
C150802-64	GKMSW12-080915	08/10/15	08:34
C150802-67	GKMTB01-080815	08/10/15	08:37
1508056-CCV4	Calibration Check	08/10/15	08:44
1508056-CCB4	Calibration Blank	08/10/15	08:47

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.8 Total Recoverable Sequence ID#: 1508057

Instrument ID#: ICPM	PE DRC-II Water		LSR #:	
Analysis ID	Sample Name	Analysis Date	Analysis Time	
1508057-ICV1	Initial Cal Check	08/10/15	07:45	
1508057-SCV1	Secondary Cal Check	08/10/15	07:48	
1508057-ICB1	Initial Cal Blank	08/10/15	07:51	
1508057-CRL1	Instrument RL Check	08/10/15	07:55	
1508057-IFA1	Interference Check A	08/10/15	07:58	
1508057-IFB1	Interference Check B	08/10/15	08:01	
1508043-BLK2	Blank	08/10/15	08:05	
C150802-22	GKMSW01-080815	08/10/15	08:08	
1508043-DUP2	Duplicate	08/10/15	08:11	
1508057-SRD1	Serial Dilution	08/10/15	08:14	
1508043-SRM2	Reference	08/10/15	08:17	
1508043-MS2	Matrix Spike	08/10/15	08:20	
C150802-25	GKMSW01-080915	08/10/15	08:23	
1508043-MS4	Matrix Spike	08/10/15	08:26	
C150802-01	AMIMAS-ROTARY PARK-00	08/10/15	08:29	
1508057-CCV1	Calibration Check	08/10/15	08:35	
1508057-CCB1	Calibration Blank	08/10/15	08:39	
C150802-04	AMIMAS-ROTARY PARK-00	08/10/15	08:42	
C150802-07	AMIMAS-ROTARY PARK-10	08/10/15	08:45	
C150802-10	AMIMAS-ROTARY PARK-20	08/10/15	08:48	
C150802-13	AMIMAS-ROTARY PARK-21	08/10/15	08:51	
C150802-16	AMIMAS-ROTARY PARK-22	08/10/15	08:54	
C150802-19	AMIMAS-ROTARY PARK-23	08/10/15	08:57	
C150802-28	GKMSW02-080815	08/10/15	09:01	
C150802-31	GKMSW02-080915	08/10/15	09:04	
C150802-34	GKMSW03-080815	08/10/15	09:07	
C150802-37	GKMSW03-080915	08/10/15	09:10	
1508057-CCV2	Calibration Check	08/10/15	09:13	
1508057-CCB2	Calibration Blank	08/10/15	09:16	
1508046-BLK2	Blank	08/10/15	09:21	
C150802-40	GKMSW04-080815	08/10/15	09:24	
1508046-DUP2	Duplicate	08/10/15	09:27	
1508057-SRD2	Serial Dilution	08/10/15	09:30	
1508046-SRM2	Reference	08/10/15	09:33	
1508046-MS2	Matrix Spike	08/10/15	09:36	
C150802-43	GKMSW04-080915	08/10/15	09:39	
C150802-46	GKMSW05-080815	08/10/15	09:42	
C150802-49	GKMSW05-080915	08/10/15	09:45	

Project Name: Upper Animas\_Surface Water 2\_AUG 2015\_A096

TDF#: [none]

## TechLaw Inc., ESAT Region 8 INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: 200.8 Total Recoverable Sequence ID#: 1508057

Instrument ID#: ICPMS-P	E DRC-II V	Vater	LSR #:
Analysis ID	Sample Name	Analysis Date	Analysis Time
1508057-CCV3	Calibration Check	08/10/15	09:51
1508057-CCB3	Calibration Blank	08/10/15	09:55
C150802-52	GKMSW06-080815	08/10/15	09:58
C150802-55	GKMSW07-080815	08/10/15	10:01
C150802-58	GKMSW08-080815	08/10/15	10:04
C150802-61	GKMSW08-080915	08/10/15	10:07
C150802-64	GKMSW12-080915	08/10/15	10:10
C150802-67	GKMTB01-080815	08/10/15	10:14
1508057-CCV4	Calibration Check	08/10/15	10:20
1508057-CCB4	Calibration Blank	08/10/15	10:23